

HF BEACON ADDRESS LIST

Summer 2005 edition

Updated: 10th of February 2005

**Compiled by:
Sébastien Colin-Collet, F8IJV**

HF BEACON ADDRESS LIST:

Compiled by: **Sébastien Colin-Collet F8IJV**
E-mail: f8ijv@free.fr
Website: <http://www.beaconworld.org.uk/hfsite/index.html>
Last updated: **10th of February 2005**

INTRODUCTION:

There are many very useful lists of 10 metre and other HF propagation beacons available on the Internet (see details at the end of this publication), and all are very good, with most of them updated frequently. You may wonder why there are so many of these lists given, but a number of them do show details of beacons which aren't included in the others, and as a result I like to try and use all of them for my beacon monitoring. This list is not intended to replace or compete with any of them, but is mainly to provide a readily available source of address and contact details for as many of the beacons as possible. Hopefully this will encourage listeners and beacon monitors to send reception reports to their operators on a more frequent basis. Many beacon operators comment that they seem to receive very few reports even though their beacons are often widely heard on a daily basis. Hopefully by having all their contact details in one easily accessible list more listeners will feel encouraged to send them reports at more frequent intervals.

Where known, information such as postal addresses, and e-mail and website details have been given, and whilst many of these should be reasonably accurate, I would certainly like to receive details of any changes or corrections if the information is known to be incorrect. Some of the beacons listed below may be inactive or QRT at the moment, but I've still included any known details as it's always possible that they may be re-activated again at some point in the future. Some are very irregular in operation and may only be heard once or twice a year, hopefully if they start to receive a few more reports this will encourage them to activate their beacons on a more regular basis.

This list was compiled from various sources, mainly the search engine at the QRZ.COM website <http://www.qrz.com>, the Buckmasters website <http://hamcall.net/call/>, and various local and international callbooks. Information about what beacons exist was provided mainly by the lists shown at the end of this document, and through the monitoring activities and the kind assistance of a number of other beacon enthusiasts. It is by no means a complete listing though, and a number of addresses are still required for some of the beacons. I would appreciate hearing from you if you are a beacon operator or if you have received any QSL cards containing useful data such as e-mail or website addresses, QRA Locator Squares, Hours of operation, or output power levels. Details of any QSL managers, or other QSL routes, which work, would also be useful for any future editions of the list.

If you have access to Amateur Radio Callbooks for your own or other countries, and can look up the details for any of the beacons for which we only have skant information, this would also be very much appreciated. The more information we can add, the more helpful this list will be for the many other enthusiasts who use it.

Not all beacon lists show exactly the same information, so in cases of conflict I have shown all of the known and reported frequencies. Some beacons do move about slightly due to problems with QRM from other beacons or local interference, so some stations may be operating plus or minus a few hundred hertz from the listed frequencies. You will also find a list of websites where beacon lists can be obtained, this can be found at the end of this document.

One important new development as of February 2001 is the creation of a HF Beacons reflector, and this is leading to a lot more communication between beacon operators and monitors. Already after just one week of operation this has enabled a number of beacons in this list to have their details updated, hopefully in time it will allow for even greater accuracy. Details about this group are given at the end of this document along with instructions about how to join.

This list will be available from my website at <http://www.beaconworld.org.uk/hfsite/index.html> and will be updated as and when new, or additional information is received. From 2005 the Address List will now be edited by Sébastien F8IJV, so please send any updates you may have to: f8ijv@free.fr

(**Note#** If you would prefer **NOT** to have your details included in this list please do let me know!)

73 and good beacon monitoring, Sébastien F8IJV.

HF BEACON ADDRESS LIST:

4S7B: (NCDXF) LOCATED AT THE CISIR (CEYLON INSTITUTE OF SCIENTIFIC & INDUSTRIAL RESEARCH) ELECTROTECHNICAL DIV. AT VIDYA MAWATHA, COLOMBO, SRI LANKA.

Try reports via: Mr.R. R. GUNAWARDENE (RANJITH) 4S7RR, BOX No. 01 SALAWA, KOSGAMA 10730, SRI LANKA.

E-mail: taos@slt.lk
Web: <http://www.qsl.net/rssl/beacon.html>

Locator: NJ06cc
Frequencies: 14100, 18110, 21150, 24930, 28200 kHz
Power: 100,10,1,0.1 watts

+++++
4U1UN: (NCDXF) UN HEADQUARTERS AMATEUR RADIO CLUB, BOX 20, NEW YORK, NY 10017, USA.

E-mail: 4u1un@un.org 4u1un@nygate.undp.org

Locator: FN20as
Frequencies: 14100, 18110, 21150, 24930, 28200 kHz
Power: 100,10,1,0.1 watts



+++++
4X6TU: (NCDXF) ISRAEL AMATEUR RADIO CLUB, P.O. BOX 17600, TEL AVIV 61176, ISRAEL.

Location: Located on top of DAN-PANORAMA HOTEL, TEL AVIV, ISRAEL.

Locator: KM72jb 32° 03' N and 34° 46' E..
Frequencies: 14100, 18110, 21150, 24930, 28200 kHz
Power: 100,10,1,0.1 watts

+++++
5B4CY: CARS BEACON, P.O. BOX 29129, 1621 NICOSIA, CYPRUS.

Verification Signer: SPYROS STAVRINIDES.

Locator: KM64pr (KM64ca)

Frequency: 28219.0 kHz

Power: 26 watts

+++++
5Z4B: v/s TED 5Z4B, CHAIRMAN, AMATEUR RADIO SOCIETY OF KENYA, P.O. BOX 45681, NAIROBI 00100, KENYA.

Locator: KI88mx
Frequencies: 14100, 18110, 21150, 24930, 28200 kHz
Power: 100,10,1,0.1 watts

+++++
9A0TEN: (Address required), CROATIA.

Locator: JN85oo
Frequency: 28228.0 kHz
Power: 50 watts

+++++
9K2RA: KUWAIT AMATEUR RADIO SOCIETY, P.O.BOX 5240, 13053, SAFAT, KUWAIT.

Website: <http://www.kars.org>
Locator: LL49
Frequency: 28175.0 kHz
Power: 10 watts into Vertical (long gaps between idents)

+++++
A47RB: ROYAL OMANI AMATEUR RADIO SOCIETY, P.O. BOX 981, MUSCAT, POSTAL CODE 113, SULTANATE OF OMAN.

E-mail: roars@omantel.net.om

Locator: LL93fo
Frequency: 28189.5 kHz
Power: 10 watts

+++++
AA1TT: WILLIAM MICHAUD, P.O. BOX 1616, CLAREMONT NH, 03743-1616, USA.

E-mail: aa1tt@arrl.net
Website: <http://www.home.adelphia.net/~aa1tt/> or via: <http://www.eqsl.cc>

Locator: FN33
Frequency: 28269.0 kHz
Power: 5 watts

+++++

AA9L:

E-mail: phillips@msoe.edu
Locator:
Frequency: 28260.0 kHz
Power:

+++++

AB7RG:

ROY HERBERT, 2634 APACHE CIR, COTTONWOOD AZ 86326, USA.
E-mail: ab7rg@arrl.net
Website: <http://groups.yahoo.com/arizonaham/>
Locator: DM44aq
Frequency: 28217.0 kHz
Power: 5 watts into Cushcraft AR-10 Vertical

+++++

AB8Z:

JOHN C. THOMAS, 7911 DARTWORTH DR, PARMA OH 44129-3929, USA.
E-mail: ab8z@hotmail.com
Locator: EN91dj
Frequency: 28240.0 kHz
Power: 5 watts

+++++

AC3A:

SCOTT OLITSKY, 99 CRESTWOOD LN. WILLIAMSVILLE, NY 14221, USA.
E-mail: ScottOlitsky@aol.com ac3a@arrl.net
Locator: EM28qv
Frequency: 28278.0 kHz
Power: 5 watts into dipole in attic

+++++

AE5X:

JOHN HARPER, 48 CROTONA AVENUE, HARRISON, NY 10528, USA.
E-mail: john@ae5x.com
Website: <http://www.ae5x.com/beacon.html>
Locator: FN31db
Frequency: 28267 kHz
Power: 5 watts

+++++

AF0H:

Rob Harper, 703 3rd St. Park Hills MO 63601, USA.
E-mail: rharper@socket.net
Locator: EM47
Frequency: 14101.0 kHz
Power: 10 watts into ¼ wave vertical 10wpm cw - id's every 1 minute.
Schedule – Intermittent, evenings and weekends CST

+++++

AF4OD:

BILL CAPPS AF4OD, 443 SAMFORD AVENUE, AUBURN, AL 36830, USA.
E-mail: wbcapps@mindspring.com
Locator: EM72go
Frequency: 28209.0 kHz (not on air all of the time)
Power: 1-2 watts from a Ten Tec Scout into a sloping ladder line fed dipole

+++++

AK2F:

HAYWOOD S. PEITZER, 10 BERRY LN, RANDOLPH NJ 07869, USA.
E-mail: ak2f@qsl.net
Website: <http://www.qsl.net/wn2a/beacon.htm>
Locator: FN20
Frequency: 28208.5 kHz
Power: 4 watts

+++++

CS3B: (NCDXF)

(Address required), ARRM, MADEIRA.
Locator: IM12or
Frequencies: 14100, 18110, 21150, 24930, 28200 kHz
Power: 100,10,1,0.1 watts

+++++

CX5BW:

PEDRO A. CANO, DR. IRURETA GOYENA 3410, BLOCK B AP 201, CP 12000 MONTEVIDEO.PO BOX 10, 15000 LAGOMAR, URUGUAY.
E-mail: cx5bw@adinet.uy
Locator: GF25wj
Frequency: 28222.5 kHz
Power: 10 watts into a Ground Plane

+++++

D2BB: FERNANDO RODRIGUEZ ARROYO, OCHA, BAIRRO KAPANGO SUBURBANO, HUAMBO, HUAMBO, ANGOLA .
 QSL Manager: JOSEPH L. ARCURE, JR. W3HNK, PO BOX 73, EDGEMONT PA 19028, USA. E-mail: w3hnk@aol.com
 E-mail: ea4bb@ctv.es
 Website: <http://www.qsl.net/ea4bb>
 Locator: JH78cd
 Frequency: 28231.5 kHz
 Power: 10 watts into a 6-element yagi beaming North, on the top of a 15m tower.
 ++++++

DA5MMB: MULTI-MODE BEACON. GUENTER WERTICH, DF4PV, IN DEN HUNDERT MORGEN 9, D-55218, INGELHEIM, GERMANY.
 E-mail Address: da5mb@web.de
 Website: <http://www.qsl.net/dl5kbn/Fax-Bake-beschr-eng.html>
 Locator: JN49cx
 Frequency: 28702.0 kHz
 Power: 5 watts into a TS120V. Aerial Ground Plane
 ++++++

DF0AAB: BAKE VERANTW. DL6TW (OTTO PETERS), WUESTENFELDE 12, D-24147, KIEL, GERMANY.
 Locator: JO54gh
 Frequency: 28277.5 kHz
 Power: 10 watts
 ++++++

DF0ANN: BAKE VERANTW. DL8ZX (EUGEN BERBERICH), BRUECKENSTR. 38, D-90419 NUERNBERG, GERMANY.
 E-mail: e.berberich@nefkom.net
 Locator: JN59pl
 Frequency: 28265.0 kHz
 Power: 0.3 watts into east/west Dipole (may be 5 watts soon)
 ++++++

DF0THD: BAKE VERANTW. DJ5BX, MERCKSTR. 25 D-64283 DARMSTADT, GERMANY.
 Locator: JN49hu
 Frequency: 28325.0 kHz
 Power: .1 watts
 ++++++

DF4PV: GUENTER WERTICH, DF4PV, IN DEN HUNDERT MORGEN 9, D-55218 INGELHEIM, GERMANY.
 E-mail: df4pv@yahoo.de
 Locator: JN49ax
 Frequency: 28172.0 kHz
 Power: 5 watts
 ++++++

DK0HHH: BAKE VERANTW. DJ2XS (MATTHIAS SCHNEIDER), RADICKESTR. 8, D-21079 HAMBURG, GERMANY.
 E-mail: smtths@aol.com
 Locator: JO53am
 Frequency: 24931.0 kHz
 Power: 10 watts
 ++++++

DK0TEN: BAKE VERANTW. DJ3EM (HORST PODSADLOWSKI), DORFHALDE 13, D-88662 UEBERLINGEN, GERMANY.
 Website: <http://www.darc.de/a/dk0ten.shtml>
 Locator: JN47nt
 Frequency: 28257.5 kHz
 Power: 20 watts
 ++++++

DK0WCY: SONDERSTATION VERANTW. DK4LI (EMIL JOHANSEN), HAMM 4, D-24392 SCHEGGEROTT, GERMANY.
 E-mail: dk4li@m15.de
 Web: <http://www.dk0wcy.de/>
 Locator: JO44vq
 Frequencies: 3579.0 (07-08 & 15-18 utc summer -1H), 10144.0 kHz (24H)
 Power: 30 watts into dipole
 ++++++



DK2CF: ANDREAS SCHMID, BRUNSKAPPELER STR. 18, 59939 OLSBERG, GERMANY.
E-mail: dk2cf@freenet.de
Locator: JO41gg
Frequency: 3530.0 kHz
Power: 500 mW

+++++
DL0AGS: BAKE VERANTW. DL6MFS (MARTIN GRAF), IM WINKEL 17, D-34414 SCHERFEDE, GERMANY.
Locator: JO41nl
Frequency: 18110.0 kHz
Power: 5 watts

+++++
DL0IGI: HANS GALL, DK3YD, WOHLFARTSTRASSE 21 b, D-80939, MUNICH, GERMANY.
e-mail: dk3yd@compuserve.com dk3yd@darc.de
Website: <http://www.darc.de/referate/hf/baken/dl0igi>
Locator: JN57mt
Frequency: 28205.0 kHz
Power: 30w (to be increased to 150w) Antenna Lambda/4 Vertical

+++++
DL4DSS: DIETER SCHROECK, BLEICHEROESCH STR. 4, D-87437 KEMPTEN, GERMANY.
E-mail: italien@t-online.de dl4dss@web.de
EQSL Website: <http://www.eqsl.cc>
Locator: JN57dr
Frequency: 7033.5 kHz 14069.0 kHz
Power:

+++++
DL5KZ: PETER MONJANG,
E-mail: p.monjang@ndh.net
Locator: JO30su
Frequencies: 7080.0 kHz + 14161.0 kHz + 21052.3 kHz + 28321.1 kHz
Power: 14 MHz 250mw 21 MHz 5 watts into A99 vertical

+++++
EA3JA: JOSE FERRER RADRESA, RAFAEL BATLLE 28-2-4. BARCELONA, E-08017, SPAIN.
Locator: JN11bi
Frequency: 28246.5 (28248.0)kHz
NOTE## Beacon is now QRT due to changes in Spanish legislation!

+++++
EA3JE: LOU PARELLADA ROIG, PUIGNOVELL 39, E-08221 TERRASSA, BARCELONA, SPAIN.
Locator: IN80
Frequency: 1828.2 kHz
Power:

+++++
EA4DAT: JUAN ANTONIO VICTORIA, P.O. BOX N° 17, 16080 CUENCA, SPAIN.
E-mail: ea4dat@terra.es
Locator: IN80vb
Frequency: 28263.3 kHz
Power: 5 watts into 5/8th Vertical



+++++
EA5AHN: FERNANDO PINANGO, DOMINGO, APARTADO DE CORREOS 1, 46111 ROCAFORT, VALENCIA, SPAIN.
E-mail: ea5ahn@ctv.es
Locator: IN80
Frequency: 28243.5 kHz
Power:

+++++
EI0TEN: CORMAC GEBRUERS EI4HQ, SPRINGFIELD, COBH, CO. CORK, IRELAND.
E-mail: c.gebruers@oceanfree.net
Web: <http://4c.ucc.ie/~cjgebruers/ei0ten.htm>
Locator: IO51uu
Frequency: 28209.0 kHz
Power: 20 watts into an A99 Vertical

EP4HR: HAMID REZA RAHIMI, P.O.BOX 71555-158, SHIRAZ, IRAN.
E-mail: ep4hr@yahoo.com
Locator: LL69go
Frequency: 28197.0 kHz
Power: 5 watts into Ground Plane
+++++

ER1AAZ: GARY CARAGIOZ, STR. M. SPATARU 21/1 AP. 64, CHISINAU, MOLDOVA.
E-mail: er1da@mail.ru
Locator:
Frequency: 28220.3 kHz
Power: 4 watts into Ground Plane
+++++

ER1BEACON: VALERY METAXA, ER1DA, PO BOX 9537, KISHINEV MD-2071, REPUBLIC OF MOLDOVA.
E-mail: er1da@mail.ru
Locator: KN46
Frequency: 28326.0 kHz
Power: 5 watts into a Ground Plane (possibly now off air)
+++++

F5KCF: JEAN-MARC LEFEBVRE (RADIO CLUB DE BOUSSIERES), 2 RUE DE CARNIÈRES, 59217 BOUSSIÈRES-EN-CAMBRÉSIS, FRANCE.
E-mail: f5kcf@free.fr
Web: <http://f5kcf.free.fr>
Locator: JO10qd
Frequency: 28259.0 kHz
Power: 6 watts
+++++

F5KCK: RADIO-CLUB DE SARTROUVILLE F5KCK, SYSOP ROBOT, 78, QUAI DE SEINE, 78500 SARTROUVILLE, FRANCE.
E-mail: f5dm@wanadoo.fr
Locator: JN81
Frequency: 28110.0 kHz
Power:
+++++

F5KMD: RADIO CLUB DU HAINUT VILLARS, BP 475, 59322 VALENCIENNES, CEDEX, FRANCE. (attn: JEAN PIERRE VILLAIN, F6BUA).
E-mail: f6bua@arri.net
Website: <http://web.lycee-hainaut.org/clubs/F5KMD/radio-am.htm>
Locator: JO10si
Frequency: 28259.5 kHz
Power: 5 watts
+++++

F5NBX: FREDERIC DONATI, RUE DU 11 NOVEMBRE, F-87380 MEUZAC, FRANCE.
Locator: JN05
Frequency: 28222.0 kHz
Power: 5 watts
+++++

F5NTS: BERTRAND LAMBALIEU, 13 RUE JEAN JAURES, SAULZOIR, 59227, FRANCE.
Locator: JO10qd
Frequency: 28259.0 kHz
Power: 5 watts
+++++

F5SN: SERGE NAUDIN, 124, RUE DU BOICHOT, DOLE 39100, FRANCE.
E-mail: f5sn@aol.com
Locator: JN27rb
Frequency: 28224.0 kHz
Power: 5 watts into TH33 - FM Voice beacon
+++++

F5TMJ: LAURENT THOUREL, 1 RUE DE L'ÉGLISE, F-31450 DEYME, FRANCE.
E-mail: thour@wanadoo.fr
Web: http://www.perso.wanadoo.fr/thour/balise/F5TMJ_B.htm
Locator: JN03sm
Frequency: 28243.3 kHz
Power: 5 watts
+++++

FY1FV:

E-mail:
Locator:
Frequency: 28165.0 kHz
Power:

+++++
G0UPL:

HANS SUMMERS, TUDOR CAPITAL, GREAT BURGH, EPSOM, SURREY
KT18 5XT, ENGLAND.

E-mail: Hans.Summers@tudor.com
Website: <http://www.HansSummers.com>
Locator: IO92
Frequency: 10125.0 kHz
Power: 12 WPM ordinary CW, QRSS3 (CW with 3 second dot length), QRSS10 (CW with 10 second dot length), DFCW3 (dual frequency CW with 3 second dot length), DFCW10 (dual frequency CW with 10 second dot length), A type of slow-hellschreiber.

+++++
GB3RAL:

RUTHERFORD-APPLETON LABORATORY. QSL VIA UK QSL BUREAU OR
VIA QSL MANAGER: GEOFF GRAYER G3NAQ.

E-mail: g.h.grayer@rl.ac.uk
Locator: IO91in
Frequencies: 28215.0 (28215.7)kHz 5290.0 kHz (Note# Reports should be made via the 5 MHz
Website on: <http://www.rsgb-hfc.org.uk/5mhz.htm>
Power: 28 MHz = 25 watts 5 MHz = >100w ID at: H+0,15,30,45

+++++
HA5BHA:

(Address Required), HUNGARY.

Locator: JN97pl
Frequency: 28225.0 kHz
Power: 5 watts

+++++
HB9AFZ:

FRANCESCO DELPRETE, VIA FILANDA 6B, CH-6500 BELLINZONA, CANTON
TESSIN, SWITZERLAND.

E-mail: fdelprete.belli@freesurf.ch
Web: <http://www.qsl.net/hb9afz>
Locator: JN46me
Frequencies: 18102.0, 21149.0, 28198.0 kHz
Power: 18102.0 = 5 watts 28198.0 = 10 watts

+++++
HB9TC:

RTC RADIOCLUB TICINO, VIA G.CANEVASCINI 20, CH 6900 LUGANO,
CANTON TICINO, SWITZERLAND.

E-mail: hb9tb@qsl.net clue@ticino.com
Web: <http://www.qsl.net/hb9tc> <http://www.alphacom.it/hb9tc>
Locator: JN46me
Frequencies: 18069.0, 28198.0 kHz (both 0800 to 1600 utc)
Power: 18069.0 = 10 watts (currently testing on 18103.0) 28198.0 = 4 watts

+++++
HG5GEW:

(Address required), HUNGARY.

Locator: JN86nq
Frequency: 28222.0 kHz
Power: 10 watts

+++++
HP1AC:

CAMILO A. CASTILLO, HP1AC P.O.BOX 0860-0144, VILLA LUCRE, PANAMA.

E-mail: hpunoac@cableonda.net hp1ac@hotmail.com
Locator: FJ09
Frequencies: 28231.5 kHz
Power: 5 watts 1/2 wave 10 metre dipole



+++++
HP1AVS:

RADIO CLUB DE PANAMA, VICTOR SIERRA, BOX 7697, ZONE 9, PANAMA.

E-mail: hp1avs@hotmail.com hp1avs@arri.net
Web: <http://www.qsl.net/hp1avs>
Locator: FJ09hd
Frequency: 18095.4 kHz
Power: 2.5 watts into Inverted Vee antenna



HP1RCP: RADIO CLUB DE PANAMA, VICTOR SIERRA, BOX 7697, ZONE 9, PANAMA.
 E-mail: hp1rcp@hotmail.com hp1avs@arri.com vsieras@sinfo.net
 Web: <http://www.radioclubdepanama.org/>
 Locator: FJ09hf
 Frequencies: 10109.1 kHz (0.5 w - into vertical antenna)
 28177.0 kHz (5w into Dipole)



+++++
I1M: BEACON CENTENARIO MARCONI "I1M", c/o A. R. I. - BORDIGHERA,
 CASELLA POSTALE 3, 18012 BORDIGHERA IM, ITALY.
 Locator: JN33ut
 Frequencies: 18102.0, 21151.0, 28180.0 kHz
 Power: 18102.0 = 10 watts 21151.0 = 10 watts 28180.0 = 5/20 watts

+++++
I8EMB:
 E-mail: francescoguglielmelli@virgilio.it
 Locator: JM89bj
 Frequency: 28185.0 kHz
 Power: 40 watts into vertical dipole

+++++
IK1PCB: EUGENIO CONTE, VIA CORRENTINA 20, I -18030 SOLDANO IM, ITALY.
 Locator: JN33ut
 Frequency: 18102.0 kHz
 Power: 10 watts

+++++
IK1ZYW: PAOLO CRAVERO, V. FORLI' 157, TORINO 10149, ITALY.
 E-mail: pcravero@as2594.net
 Websites: <http://www.qsl.net/ik1zyw> <http://spazioinwind.libero.it/cosomisterioso/beacon.html>
 Locator: JN35tc
 Frequency: 7001.3 kHz (QRSS) 28332.0 kHz
 Power: 100mW

+++++
IK2DED: GIULIO SCARONI, VIA G. MATTEOTTI 19, I-25086 REZZATO, ITALY.
 E-mail: scaroni@phoenix.it
 Locator: JN55fo
 Frequency: 135.8 kHz
 Power: HIGH (40 watts), MED" (4 watts), LOW" (0.4 watts)

+++++
IK3NWX: SILVANO ZAMBON, VIA D.BRAMANTE 12, 45100 ROVIGO RO, ITALY.
 E-mail: ik3nwx@libero.it
 Locator: JN55vb
 Frequency: 10142.0 kHz
 Power: 2 watts

+++++
IK6BAK: ELISEO CHIARUCCI, LOCALITA STERPETTI 50, 61030 MONTEFELCINO PS,
 ITALY.
 E-mail: ik6bak@qsl.net ik6bak@libero.it
 Web: <http://www.qsl.net/ik6bak>
 Locator: JH63kr
 Frequencies: 18068.0 kHz 24915.0 kHz
 Power: 3 watts 3 watts

+++++
IK8VRQ: ANGELO MARCONE, VIA G.GIGANTE 102, 80136 NAPOLI NA, ITALY.
 E-mail: ik8vrq@ik8vrq.net
 Website: <http://www.ik8vrq.net>
 Locator: JN70cu
 Frequency: 28194.0 kHz
 Power: 2.5 watts (Ground Plane) Ident: TEST DE IK8VRQ/B JN70CU PSE QSL

+++++
IQ8CZ: **TOMMASO IK8WJP**
 E-mail: alaint@excite.it
 Website: <http://www.aricz.it/beacon.html>
 Locator: JM88hv
 Frequency: 28230.0 kHz
 Power: 10 watts into Ground Plane

IY4M: 10-METER BEACON ROBOT, IY4M, ARI BOLOGNA, BOX 2128,
I-40100, BOLOGNA, ITALY. (Beacon Manager: Ivano de Vietro I4DVT)
E-mail: assradbo@iperbole.bologna.it iy4m@amsat.org
Website: http://web.tiscali.it/ari_bologna/ <http://www.geocities.com/ik4nyy/beacon.html>
Locator: JN54qk
Frequency: 24920.0, 28195.0 kHz
Power: 20 watts



IZ0AIS: LUIGI FORMINI, C/DA LA CHIUSA, 00049 VELLETRI, ROME, ITALY.
E-mail: iz0ais@amsat.org
Locator: JN61jq
Frequency: 28198.0 kHz
Power: 5 watts

IZ2DAY: MATTEO GUZZI, VIA LUINI,3 20063, CERNUSCO S/NAVIGLIO, ITALY.
E-mail: iz2day@libero.it
Locator: JN45pm
Frequency: 28239.0 kHz
Power: 10 watts into Ground Plane

IZ3DVW: MASSIMO (ADDRESS REQUIRED)
Locator: JN55ve
Frequency: 21145.7 kHz
Power: 2 watts in 1/4 wave Ground Plane

JA2IGY: (NCDXF) JARL UNYOUKA, 1-14-2 SUGAMO TOSHMAKU, 170-8073 TOKYO, JAPAN.
E-mail: pub@jarl.or.jp
Locator: PM84jk
Frequencies: 14100, 18110, 21150, 24930, 28200 kHz
Power: 100,10,1,0.1 watts

JA5ZQM: SKBC TOSHIHIRO IKOMA, 154-12 HACHIMANCHO KAWAMINAMI,
770 TOKUSHIMA, JAPAN.
Locator: PM74ga
Frequency: 28264.0 kHz
Power: 10 watts

JE7YNQ: FUKUSHIMA (Full address required), JAPAN. (try via JARL QSL Bureau, or JARL
HQ at: JARL QSL BUREAU, SHOBARA POST OFFICE, SHIMANE 699-0588
JAPAN. (website <http://www.jarl.or.jp/English/0-2b.htm>) JARL HQ, OPERATIONS
SECTION, 1-14-5 SUGAMO, TOSHIMA, TOKYO 170-8073 JAPAN.)
Locator: QM07
Frequency: 28233.2 kHz (ex 28188.0)
Power: 50 watts

JR0YAN: NORIYUKI YAGUCHI JH0WJF, 2862 IKEDA, KITA-AZUMI, NAGANO
399-8603, JAPAN.
E-mail: jr0yan-lj@infoseek.jp
Website: <http://members.at.infoseek.co.jp/jr0yan/index.html>
Locator: PM86wj
Frequency: 28208.0 kHz
Power: 50 watts into a Loop

K0HB: H HANS BRAKOB, 1610 WESTON LN N, PLYMOUTH MN 55447, USA.
E-mail: k0hb@arrl.org k0hb@usa.net
Locator: EN34gx
Frequency: 28279.0 kHz
Power: 20/10/2/.2 watts

K0HTF: THOMAS GRUIS, 1243 48TH ST, DES MOINES, IA 50311-2405, USA.
E-mail: k0htf@aol.com
Website: <http://www.gruis.org>
Locator: EN31?
Frequency: 28250.0 kHz
Power: 5 watts into Inverted V

K0KP: REX GREENWELL K0KP, 5201 BIRCH ACRES RD. DULUTH, MN 55803,USA.
E-mail: rex_greenwell@wdse.pbs.org
Website: <http://www.qsl.net/k0kp>
Locator: EN36
Frequency: 28212.5 kHz
Power: 0.5 watts



+++++
K2AMB: (ex- KC2CZI) ADAM M. BRONSTEIN, 2710 E GENESEE ST, SYRACUSE NY 13224, USA.
E-mail: k2amb@aol.com
Locator: FN13wa
Frequency: 28274.5 (28274.0)kHz
Power: 5 watts

+++++
K2KL: (ex-NA2DX) GLENN N. FINERMAN, 8 LONGMEADOW DR, MONSEY NY 10952, USA.
Locator: FB20kj
Frequency: 28219.0kHz
Power: 3 watts

+++++
K3NG: ANTHONY GOOD, 5415 POHOPOCO DR. LEHIGHTON PA 18235, USA.
E-mail: k3ng@qrpis.org goody@fast.net
Website: <http://www.qrpis.org>
Locator: FN20ev
Frequency: 28291.5 kHz
Power: 150 mW into a dipole at 30ft

+++++
K4AIS: MICHAEL FAULKNER, 771 HAMPTON PL, MARIETTA, GA 30064, USA.
E-mail: mike@k4ais.com
Web Page: <http://www.ngdrt.com>
Locator: EM74qh
Frequency: 28270.2 kHz
Power: 25 watts into a Vertical Antenna

+++++
K4FUM: JERE SANDIDGE, 1770 OAK RIDGE CIR, STONE MOUNTAIN GA 30087, USA.
E-mail: k4fum@arrl.net
Website: <http://www.k4fum.net>
Locator: EM73wu
Frequency: 28276.0 kHz
Power:

+++++
K4JDR: RONNIE J. CASEY, 84 ANGIE RD, RALEIGH NC 27603-7336, USA.
E-mail: k4jdr@juno.com
Website: http://www.caryncreepeater.com/k4jdr_10/meter_beacon.htm
Locator: FM05qr
Frequency: 28299.0 kHz
Power: 10 watts

+++++
K4UKB: MARSHALL McELFRESH, 847 LOCKLIN LANE, DANVILLE, KY 40422, USA.
E-mail: mmcelfre@bellsouth.net
Locator: EN77nw
Frequency: 28276.0 kHz
Power: 7 or 8 watts into Cushcraft Ringo @ 40ft

+++++
K5AB: ALAN BROWN, 20125 W LAKE PKY, GEORGETOWN TX 78628, USA.
Locator: EM10dh
Frequency: 28280.0 kHz
Power: 20 watts into a 5/8 wave ground plane at 40 feet (on air since 1993)

+++++
K5BTV: JAMES GARRETT, 362 RCR 3345, EMORY TX 75440, USA.
E-mail: k5btv@go.com
Locator: EM22dv
Frequency: 28272.825 kHz
Power: 250 milliwatts into HF6V Butternut Vertical



K5PF: PAUL F. FOLMSBEE, PO BOX 5311, CARY NC 27512-5311, USA.
E-mail: k5pf@aol.com
Locator: FM05os
Frequency: 28256.0 kHz
Power: 8 watts

+++++
K5UNY: ALEXANDER KAPLINSKY, 13650 LITTLECREST, FARMERS BRANCH
TX 75234, USA.
E-mail: AlexQRP@aol.com
Locator: EM12
Frequency: 28238.5 kHz
Power: 4 watts

+++++
K6LLL: THEODORE F. BRUNNER, 28802 TOP OF THE WORLD DRIVE, LAGUNA
BEACH, CA 92651, USA.
E-mail: tbrunner@uci.edu
Website: http://www.tlg.uci.edu/~ted/radio_page.html
Locator: DM13cn
Frequency: 28203.5 kHz
Power: 3 watts into a vertical from HTX-100



+++++
K7FFF: CASEY BAHR, KS7J, 24250 SW DRAKE LANE, HILLSBORO, OR 97123, USA
E-mail: casey@tomochka.com
Website: http://www.tomochka.com/k7fff/beacon/club_beacon.htm
Locator: CN85mm
Frequency: 28287.0 kHz
Power: 2w into a dipole from a HTX-100 TX

+++++
K7NWS: BOEING EMPLOYEES AMATEUR RADIO SOCIETY, 14641 22ND AVE SW,
SEATTLE, WA 98166.
E-mail: k7nws@qsl.net
Website: <http://www.qsl.net/k7nws>
Locator: CN87tk
Frequency: 28265.0 kHz
Power: 1 watt Vertical

+++++
K8FLY: WILLIAM SKOFIC, 933 WEST RIVER ROAD, MUSKEGON, MI, 49445, USA.
E-mail: k8fly@home.com
Locator: EN63ug
Frequency: 28293.0 kHz
Power: 7 watts into home brew vertical from Icom 761


+++++
K8LKC: JOSEPH A. MEDSKER, 55940 WILBUR RD. THREE RIVERS MI
49093, USA.
Locator: EN71?
Frequency: 28283.5 kHz
Power: 1 watt into a vertical

+++++
K8NDB: k8ndb@yahoo.com
E-mail: k8ndb@yahoo.com
Locator:
Frequency: 28250.0 kHz
Power:

+++++
K8PY: DALE F. CREVIER, 6016 NORTH ZELLAR RD, WHITEHALL, MI 49461, USA.
E-mail: k8py@aol.com
Website: <http://www.qsl.net/k8py>
Locator: EN63
Frequency: 28283.7 kHz
Power: 25 watts into an Inverted V

K9KXP: EVERETT ANDERSON, 1712 KEEBLER, COLLINSVILLE IL 62234-4705, USA.
E-mail: k9kxp@juno.com andyeye@aol.com
Locator: EM58aq
Frequency: 28291.0 kHz
Power: 5 watts

+++++
KA0PSE: RON ANDERSON, 1602 EKLUND AVE, DULUTH MN 55811, USA.
E-mail: ron_anderson@wdse.pbs.org
Locator: EN36vt
Frequency: 28218.5 kHz
Power: 4 watts Ant vertical at 40 ft. TX: "QRP rig 24H



+++++
KA1EKS: JOHN P. BARTON, HC 74, BOX 544, MILLINOCKET ME 04462, USA.
E-mail: ka1eks@qsl.net
Website: <http://www.qsl.net/ka1eks>
Locator: FN55pp?
Frequency: 28266.0 kHz
Power: 4 watts into an Antron A-99 w/GP



+++++
KA1NSV/4: RICHARD L. ERESSY, 775 DRY RIDGE RD, GREEN BAY VA 23942-2216, USA.
Locator: FM07ud
Frequency: 28260.0 kHz
Power: 25 watts

+++++
KA2GKA: HOWARD L FRAILEY, 1103 SUNCREST DRIVE, APOPKA, FL 32703, USA
E-mail: wodiwebdude@cfl.rr.com
Web: <http://home.cfl.rr.com/ka2gka>
Locator: EL98gp
Frequency: 28273.0 kHz
Power: 15 watts into Cushcraft Ringo vertical from HTX-100
QSL Policy: Send your report to my postal mailing address. You do not need to send postage, or an envelope even if you're outside the United States. I will mail out your QSL within 1 or 2 days.

+++++
KA2QPG: PIERRE THOMSON, WOODCREST, ROUTE 213, RIFTON, NY 12471, USA.
E-mail: pthomson@bruderhof.com
Website: <http://frodo.brunderhof.com/ka2qpg/ka2qpg.htm>
Locator: FN21xu
Frequency: 28212.0 kHz
Power: 50 milliwatts (note# This is a Balloon beacon and operates irregularly!)

+++++
KA3BVJ: DENNIS WILLIARD, SR. BOX 354, HERNDON PA 17830, USA.
E-mail: ka3bvj@yahoo.com
Website: <http://ka3bvj.homestead.com/>
Locator: FN10oq
Frequency: 28235.0 kHz
Power: 5 watts into a Vertical

+++++
KA5FYI: LEWIS P. JOHNSTON, 207 W CRESTLAND DRIVE, AUSTIN TX 78752, USA.
E-mail: kfyi@aol.com
Locator: EM10di
Frequency: 28125.0 kHz (24H) 21171.0 kHz (1.25 watts)
Power: 0.1 watts

+++++
KA7BGR: RUSSEL G. JUMP, 6990 DOWNING ROAD, CENTRAL POINT, OR 97502, USA.
Locator: CN82mj
Frequency: 28295.0 kHz
Power: 10 watts into dipole

+++++
KA9IBS: DENNIS GRAY, 25 MAPLEWOOD, DANVILLE, IL 61832, USA.
Locator: EN60eb
Frequency: 28210.0 kHz
Power:

KA9QMD: RAYMOND STAUDUHAR, 5500 N 58TH ST. MILWAUKEE WI 53218, USA.
E-mail: rstaiduhar@wi.rr.com
Locator: EN53
Frequency: 28205.0 kHz
Power: 1 watt into a vertical
+++++

KA9SZX: MARK A. GARRETT, 513 JACKSON ST. CHAMPAIGN IL 61821, USA.
E-mail: ka9szx@hotmail.com
Locator: EN50vd
Frequency: 28215.0 kHz
Power: 1 watt
+++++

KB0LHB: BRADLEY J. PAMPLHAM, 13927 290 AVE, ZIMMERMAN MN 55398, USA.
E-mail: BPapllham@ci.ramsey.mn.us
Locator: EN35ek
Frequency: 28206.0 kHz
Power: 2 watts into R5 vertical antenna
+++++

KB1KDC: FRISTER VAN BERGEN, 33 ELM ST. LANCASTER, NH 03584, USA.
E-mail: kb1kdc@arrl.net
Website: <http://ham.all-dutch.com>
Locator: FN44fl
Frequency: 28234.5 kHz
Power: 4 watts into a dipole
+++++

KB2SEO: DREW R. McCARSKY, PO BOX 463, ETON, GEORGIA 30724, USA.
E-mail: kb2seo@yahoo.com
Website: <http://www.qsl.net/kb2seo>
Locator: EM74
Frequency: 28238.0 kHz
Power: 1 watt into Groundplane
+++++

KB3FYD: SCOTT M. LYTER, 2621 MARKET STREET, CAMP HILL, PA 17011, USA.
E-mail: scott_lyter@wif.org
Website: <http://www.climbcentral.com/kb3fyd/>
Locator: FN10
Frequency: 28241.6 kHz
Power: 15 to 20 watts into dipole
+++++

KB4SB: CHARLES R. LOWE, P.O. BOX 196, SUGARLOAF SHORES FL. 33044, USA.
Locator: EL94fp
Frequency: 28214.0 kHz
Power: 0.5 watts into a dipole
+++++

KB7DQJ: JENNIFER A. ESPADA, 5032 GRAVELLY BEACH RD NW. OLYMPIA
WA 98502, USA.
Locator: CN87ma
Frequency: 28285.0 kHz
Power:
+++++

KB7EFZ: THOMAS E. WALSH, 14695 NW SATELLITE DR. BANKS OR 97106, USA.
Locator: CN85kp
Frequency: 28285.0 kHz
Power: 1 watt
+++++

KB9DJA: RONALD L. BURKE, PO Box 835, MOORESVILLE IN 46158, USA.
Locator: EM69ro
Frequency: 28220.0 kHz
Power: 30 watts (1100 to 2300 utc) 5 watts (2300 to 1100 utc)
+++++

KC0W: TOM CALLAS, 11730 44th AVE N. PLYMOUTH, MN 55442, USA.
E-mail: kc0w@yahoo.com
Locator: EN34
Frequency: 28227.0 kHz (inactive)
Power: 10 watts into dipole (QRT at present)
+++++



KC2CZI: (changed to K2AMB) USA.
Locator:
Frequency: 28274.5 (28274.0) kHz
Power:
+++++

KC4DPC: STANLEY OUTLAW, PO BOX 5391, WILMINGTON NC 28403, USA.
E-mail: so@bigfoot.com
Locator: FM14bf
Frequency: 28210.0 kHz (QRT)
Power: 5 watts
+++++

KC6UFE: WILLIAM F. HAGEN, 447 LILAC LN, CHICO CA 95926, USA.
E-mail: whagen6@cs.com
Website: <http://home.inreach.com/whagen/kc6ufe>
Locator: CM99bs
Frequency: 28223.0 kHz
Power: 10 watts
+++++

KC6WGN: GIDEON J BANEZ, SR. 2727 QUAKER RIDGE RD. LAS VEGAS NV 89142, USA.
E-mail: kc6wgn@juno.com
Locator: DM26ld
Frequency: 28227.0 kHz
Power: 10 watts
+++++

KC8COM: MATT BURNS,
E-mail: kc8com@usa.com
Locator: EM97
Frequency: 28257.2 kHz
Power: 2.5 watts into vertical
+++++

KC8QNO: MICHAEL A. FREEMAN, 6337 2nd St. MAYVILLE, MI 48744, USA.
E-mail: michaefr@student.flint.umich.edu
Website: <http://www.qsl.net/kc8qno> (may not be up yet!)
Locator: EN83hh
Frequency: 28239.7 kHz
Power: 25 watts into a vertical at 30 ft
+++++

KD4EC: JOHN C. CLEWS, 1115 CHOCTAW ST, JUPITER FL 33458, USA.
E-mail: kd4ec@hotsheet.com
Locator: EL96wv
Frequency: 28233.3 kHz
Power: 7 watts
+++++

KD4MZM: ERIC T. OWEN, 2702 JAMAICA ST. SARASOTA FL 34231, USA.
E-mail: ERICTO@aol.com kd4mzm@arrl.net
Website: <http://www.qsl.net/kd4mzm>
Locator: EL87rg
Frequency: 28277.0 kHz
Power: 1 watt
+++++

KD4UAI: DOUGLAS A. STEVENS, 2161-13 GALILEE RD. SMITHFIELD,
NC 27577, USA.
E-mail: kd4uai@aol.com
Locator: EM90 hh
Frequency: 28271.0 kHz
Power: 5 watts into vertical
+++++

KD5ITC: DEREK ROGERS, P.O. BOX 270786, CORPUS CHRISTI, TX 78427, USA.
E-mail: kd5itc@arrl.net
Locator: EL17?
Frequency: 28225.4 kHz
Power: 3 watts
+++++

KD5LWU: JOHNNY SHEPHERD, 1118 EAST MAIN STREET, CORTEZ CO 8132, USA.
E-mail: kd5lwu@charter.net
Website: <http://hamcams.servepics.com/beacon.html>
Locator: DM57ri
Frequency: 28239.0 kHz
Power: HTX 10 @ 10 watts, Antenna - Solarcon A99 omni-vertical at 20 ft
+++++

KE4NL: WILLIAM T. SARGENT, JR. 112 SOUTH CHURCH ST. NINETY SIX,
SC 29666, USA.
E-mail: sarg@emeraldis.com
Locator: EM84xe
Frequency: 28207.0 kHz
Power: 10 watts
+++++

KF4MS: RICK AINSWORTH, 3717 WICKLOW CIR. TALLAHASSEE FL 32308, USA.
Email: ricka@tfn.net
Website: www.qsl.net/kf4ms
Locator: EM70vm
Frequency: 28300.0 kHz
Power: 1 watt
+++++

KF4OTI: RICHARD F. MC CARTHY, PO BOX 514, NORTH TEMPLE ME
04984-0514, USA.
Locator: FN44vq
Frequency: 28261.0 kHz
Power: 25 watts
+++++

KF6MWA: DOUGLAS PHILLIPS, JR. 5882 COVITT STALLMAN ROAD, GRANITE BAY CA
95746-9493, USA.
E-mail: kf6mwa@rcip.com
Website: <http://www.qsl.net/kf6mwa/>
Locator: CM98jr
Frequency: 28222.0 kHz
Power: 1 watt
+++++

KG0RP:
E-mail: kg0rp@yahoo.com
Locator: DM79kx
Frequency: 28225.0 kHz
Power: 10 watts into vertical
+++++

KG2GL: TONY J. TESTA JR, 173 CONOVER AVE, NUTLEY, NJ 07110, USA.
E-mail: kg2gl@arrl.net
Locator: FN20
Frequency: 28246.0 kHz
Power: 5 watts into a Cushcraft R-5 40 ft agl, and 165 ft asl. TX is Radio Shack HTX-100
+++++

KG4WBH: DAVID SAYLORS, 113 GUNSMOKE TRAIL, TRENTON GA 30752, USA.
E-mail: dsaylors01@msn.com
Website: <http://www.qsl.net/kg4wbh>
Locator: EM74fu
Frequency: 28222.0 kHz
Power: 2 watts into a dipole
+++++

KG7RS: JOHN R. TUCKER, 2378 E ALPINE AVE, MESA, AZ 85204, USA.
E-mail: fastwin@primenet.com
Locator: DM43?
Frequency: 28247.5 kHz
Power: 1 watt into Dipole
+++++

KG8CO: BRIAN SARKISIAN, KG8CO, 4425 CLINTON-MACON ROAD, CLINTON, MI 49236, USA.
E-mail: kg8co@yahoo.com
Locator: EN71xv
Frequency: 28281.0 kHz
Power: 500 milliwatts into a quarter wave Ground Plane. Transmitter HTX-100
+++++

KG9DX: CRAIG T. STEADMAN, 5001 US HWY 30 W, FORT WAYNE, IN 46818. USA.
E-mail: grpm@aol.com
Locator: EN71
Frequency: 28222.0 kHz
Power: 10 watts into Ground Plane
+++++

KC9GNK:
E-mail:
Locator:
Frequency: 28285.1 kHz
Power:
+++++

KH6AP: CHARLES REID, 618 KAIOLA ST. KIHEI, HI 96753, USA.
E-mail: kh6ap@arrl.net reidc001@hawaii.rr.co
QSL Policy: VIA, eQSL or Direct. SASE for direct reports.
Locator: DM04
Frequency: 28209.0 kHz 21142.0 kHz
(04:30 to 08:00Z and 16:00Z to 20:00z)
Power: 20 watts into a Vertical
+++++

KH6WO: (NCDXF) HONOLULU AMATEUR RADIO CLUB, 98-1547 AKAKA ST, AIEA HI 96701-3051, USA.
E-mail: k1er@lava.net
Locator: BL11bk
Frequencies: 14100, 18110, 21150, 24930*, 28200 kHz
Power: 100,10,1,0.1 watts
+++++

KI4PJ: LAWRENCE A MOORE, 701 BOC CIR NW, PALM BAY, FL 32907, USA.
E-mail: lamooreflki4pj@juno.com
Locator: EL98
Frequency: 28255.0 kHz
Power: 5 watts into Hustler Vertical on air for about 8 hours per day
+++++

KJ4X: DOUGLAS E. FAGAN, 110 N BLUE RIDGE CIR, PICKENS SC 29671, USA.
E-mail: yacht1@carol.net
Locator: EM84pv
Frequency: 28205.0 kHz
Power: 2 watts
+++++

KJ7AO: (now AC7KI) WENDY H. HARTMAN, KJ7AO, POB 22608, EUGENE, OR 97402, USA.
Locator: CN84jb
Frequency: 28293.7 kHz?
Power: Solar Powered
+++++

KJ7AZ: TIMOTHY G. TAYLOR, 213 7TH, RAWLINS WY 82301, USA.
E-mail: jakie@vcn.com
Locator: DN61js
Frequency: 28284.0 kHz
Power: 5 watts
+++++

KK0CQ: DUANE RIEGER, 1311 CHERRY PLACE, DEVILS LAKE, ND 58301, USA.
E-mail: drieger@stellarnet.com
Locator: EN08nc
Frequency: 28279.7 kHz
Power:
+++++



KK7PG: CRAIG S. GRAHAM, 20924 N 70TH AVE. GLENDALE AZ 85308, USA.
Locator: DM33?
Frequency: 28212.0 kHz
Power:
+++++

KL7AQC: ALASKA QRP CLUB, PO BOX 10079, FAIRBANKS AK 99710-0079, USA.
Locator: BP64eu
Frequency: 28282.5 kHz
Power: 1 watt
+++++

KM4GS: BRUCE BURKEEN, 299 PARK ST. GILBERTSVILLE, KY 42044, USA.
E-mail: km4gs@apex.net
Locator: EM56?
Frequency: 28292.4 kHz
Power: 3 watts into a Kenwood TS440, aerial Hustler 4 Ground mounted Vertical
+++++

KP3FT: JEFFREY MEIN, BOX 8811, PONCE, PUERTO RICO.
E-mail: meinja@caribe.net
Locator:
Frequency: 28260.87 kHz
Power: 4 watts
+++++

KP4/KH2RU: **JAMES THIESSEN**
E-mail: kh2ru@hotmail.com
Locator: FK78bj
Frequency: 28242.73 kHz
Power: 5 watts into vertical
+++++

KP4SQ: PEDRO L PEREZ, PO BOX 40, PUERTO REAL PR 00740, USA.
E-mail: kp4sq@coqui.net
Locator: FK68he
Frequency: 28250.0 kHz
Power: 5 watts
+++++

KQ4TG: JACOB O. BREHMER, 110 ORLEANS ST. LELAND NC 28451, USA.
Locator: FM04?
Frequency: 28231.0 kHz
Power: 7 watts into Ground Plane
+++++

KS6Z: DAN KEEFE, KS6Z, 1331 E. TAYLOR STREET, VISTA, CA 92084, USA.
E-mail: ks6z@cox.net
Website: <http://www.angelfire.com/ma/k6fffists>
Locator: DM13jf
Frequency: 28225.0 kHz 10226.0 kHz
Power: 5 watts into a 40 metre vertical
+++++

KW7Y: KEVIN A P. BALDOCK, 5321 92ND ST NE, MARYSVILLE WA 98270, USA.
E-mail: paul.baldock@verizon.net
Locator: CN88sd
Frequency: 28225.0 kHz
Power: 5 watts into dipole at 33 ft
+++++

LA4TEN: GEIR LAASTAD LA6LU, SKJAERET, N-3060 SVELVIK, NORWAY.
E-mail: la6lu@online.no
Locator: JP20lg (Beacon located on the island Sotra, 60 15'36" N - 05 04'06" E)
Frequency: 28211.0 kHz
Power: 250 watts erp into omni vertical antenna
+++++

LA5TEN: KIRKENESGRUPPEN AY NRRL, LA6TEN PO BOX 4, N-9912 HESSENG, NORWAY.
E-mail: paul.justnaes@kirkenes-sykehus.no
Website: <http://www.la3f.no/faste/beacon/la5ten.html>
Locator: JO59jv
Frequency: 28237.5 kHz
Power: 10 watts erp
+++++

LA6TEN: KIRKENESGRUPPEN AY NRRL, LA6TEN PO BOX 4, N-9912 HESSENG, NORWAY.
E-mail: paul.justnaes@kirkenes-sykehus.no
Website: <http://www.la3f.no>
Locator: KP49qx
Frequency: 28282.0 kHz
Power: 10 watts into omni

+++++

LN2A: NTA SVEIO IPS, NORWEGIAN TELECOMMUNICATIONS AUTHORITY, ATT.: AYO/TF, P.O. BOX 447, SENTRUM, N-0104 OSLO, NORWAY.
Locator: JO29po
Frequencies: 5471.5, 7871.5, 10408.5, 14396.5, 20948.5 kHz
Power: 1 kW (inactive?)

+++++

LU0ARC: UNION ARGENTINA DE RADIOCLUBES, C.C. 7, 1870.AVELLANEDA, ARGENTINA.
QSL Route: BOX 41, CP 1870 AVELLANEDA, ARGENTINA (Note# 1 U\$ is required)
E-mail: cuchin@speedy.com.ar
Website: <http://www.uarc.org.ar/proyectoboya.htm>
Locator: Project Buoy - moves around in ocean currents!
Frequency: 28192.0 kHz (and also 14096.0 kHz?)
Power: solar powered

+++++

LU1DQP: ALBERTO SANTIAGO GOLBEK, 9 DE JULIO 468, BAHIA BLANCA BA 8000, ARGENTINA.
Locator:
Frequency: 28214.0 kHz
Power:

+++++

LU1DZ: QSL MANAGER QSL EA3RE, or Electronic QSL via EQSL.cc
E-mail: gacw@lan.no-ip.org urantino@infovia.com.ar
Website: <http://gacw.no-ip.org>
Locator: GF05vm
Frequency: 28190.0 kHz
Power: 10 watts (temporary beacon to publicise GACW Contest in April 2003)

+++++

LU1FHH: OSCAR LOMBARDO, COLON 374 - 2535 EL TREBOL - PROV. SANTA FE, ARGENTINA.
E-mail: oscarbeacon@trebolnet.com.ar
Locator: FF97dt
Frequency: 28199.0 kHz
Power: 5 watts

+++++

LU2DT: RADIO CLUB MAR DEL PLATA, C.C. 664, 7600.MAR DEL PLATA, ARGENTINA.
E-mail: lu2dt@statics.com.ar
Web: <http://www.qsl.net/lu2dt>
Locator: GF11fx
Frequency: 28193.0 (28192.0)kHz
Power: 10 watts

+++++

LU2EOR: GENOVESE OMAR R. CALLE 118 NO 409, TOLOSA, LA PLATA, BUENOS AIRES, ARGENTINA.
Locator: GF15ab
Frequency: 28193.0 kHz
Power:

+++++

LU2FFV: DANTE CARLOS PELLEGRINET, CALLE DORREGO 433, SAN JORGE SF 2451, ARGENTINA.
Locator: FF97uc
Frequency: 28193.0 kHz
Power: 5 watts

+++++

LU4AA: (NCDXF) RADIO CLUB ARGENTINO, P.O. BOX 97, BUENOS AIRES - 1000, ARGENTINA.
E-mail: lu4aa@lu4aa.org
Locator: GF05tj
Frequencies: 14100, 18110, 21150, 24930, 28200 kHz
Power: 100,10,1,0.1 watts
+++++

LU4EG: DANIEL HORACIO PIERGIACOMI, BOEDO 213, 1876 – BERNAL, BUENOS AIRES, ARGENTINA.
E-mail: lu4eg@amsat.org
Locator: GF05ug
Frequency: 28195.0 kHz
Power: 10 watts
+++++

LU4JJ: CLUB CONCORDIA RADIO, DR.PEDRO SAURE 195, CONCORDIA ER 3200, ARGENTINA.
Locator: GF08xo
Frequencies: 28196.5 kHz
+++++

LU4XS: MARTIN JUAN LAWRENCE, RUTA J. ESTANCIA MOAT S/N, USHUAIA TF 9410, ARGENTINA.
E-mail: moatbeacon@yahoo.com.ar
Website: <http://www.geocities.com/gacwar/4xseng.html>
Locator: FD65pa
Frequency: 28190.5 kHz
Power: 2 watts
+++++

LU5FSY: NESTOR DANIEL PERRET, ARENALES 658, RAFAELA SF 2300, ARGENTINA.
Locator: FF98gr
Frequency: 28189.5 kHz
Power: 5 watts
+++++

LU6DTS: MARCELO OSCAR FLAMMINI, CALLE 54 1259, 1900 LA PLATA BA ARGENTINA.
E-mail: lu6dts@arri.net
Website: <http://www.lu6dts.com.ar>
Locator: GF15ac
Frequency: 28194.0 kHz
Power: 5 watts Ground Plane
+++++

LU7DQP: HORACIO OROFINO, ITALIA 96 9 A, AVELLANEDA BA 1870, ARGENTINA.
Locator: GF05th
Frequency: 28214.0 kHz
Power:
+++++

LU7WW: PEDRO MUNOZ, PO BOX 4, 9120 PUERT MADRYN CHBT, ARGENTINA.
Locator: FE77lf
Frequency: 28197.5 kHz
Power: 5 watts
+++++

LU9AUY: (now LU9AY) MATT VANNI, QSL VIA W3HC, MATSDORF, ARGENTINA.
QSL Manager: Carl F McDaniel W3HC, 2116 Reed St. Williamsport, PA 17701, USA.
E-mail: mats3d@yahoo.com
Website: <http://www.qsl.net/lu9ay>
Locator: GF05sj
Frequency: 28197.0 kHz
Power: 10 watts 3 element beam
+++++

LU9JTE: NICOLAS BRUNO, ITUZAINGO 578, CONCORDIA ER 3200, ARGENTINA.
E-mail: nicolasbruno@concordia.com.ar
Locator: GF08xo
Frequency: 28200*
Power:
+++++

LU9LC: RAUL BAUDUCCO, CASA 7 MNA N. 1000 VIVIENDAS, CORRIENTES
CP 3400, ARGENTINA.
QSL Info: QSLs can also be sent/received via <http://www.eqsl.cc>
E-mail: raulbaudu@yahoo.com
Website: <http://www.geocities.com/raulbaudu>
Locator: GG02om
Frequency: 28204.0 kHz
Power: 3 watts

+++++

LW5EJU: NESTOR EDUARDO ZUCCHI, P.O.BOX 354, CITY PILAR; ZIP 1629;
PROVINCE BUENOS AIRES, ARGENTINA.
E-mail: nzucchi@hotmail.com
Website: <http://www.geocities.com/Eureka/Enterprises/6057/>
Locator: FF98jn
Frequency: 28225.4 kHz
Power: 12 watts into Ground Plane

+++++

LW9DAH: DIEGO ALONSO, PO BOX 4, 1875, WILDE BS, AS, ARGENTINA.
Locator: GF05uh
Frequency: 28197.0 kHz
Power: 5 watts 3 element beam

+++++

LW9EOC: SILVIO MARTIN, CHICLANA 1072 - CP 1766, LA TABLADA, ARGENTINA.
E-mail: tim_lw9eoc@softhome.net
QSL Manager: EA7JX, RODRIGO HERRERA QUINTERO, PASEO DE CORDOBA 12,
E-41310 BRENES, SEVILLA, SPAIN.
Locator: GF05tf
Frequency: 28273.0 kHz
Power: 5 watts from FT840 into 'V' Dipole.

+++++

LZ1TEN: (Address required), BULGARIA.
Locator: KN12po
Frequency: 28266.0 kHz
Power: 1 watt

+++++

N0AR: SCOTT E. HOLISKY, 633 SPRING HILL RD. VADNAIS HEIGHTS
MN 55127, USA.
E-mail: sholisky@tpt.org
Locator: EN35kb
Frequency: 28255.0 kHz
Power: 0.125 watts

+++++

N0JAR: ROBERT T. TRIER, 709 E 12TH ST PL N. NEWTON IA 50208, USA.
Locator: EN31?
Frequency: 28276.8 kHz
Power: 5 watts

+++++

N0PTB: JOHN D. ORMSBY, 13035 E HWY 21, PO BOX 33, KURTEN TX
77862, USA.
Locator: EM10?
Frequency: 28195.0 kHz
Power: 1 watt into a vertical

+++++

N0UD: MARK SCHIELDS, WB0OAJ, PRAIRIE CONTESTERS, 3797 10TH AVENUE E.
DICKINSON, ND 586017808, USA.
E-mail: schieldsfam@juno.com
Locator: DN87
Frequency: 28274.7 kHz
Power:

+++++

N1GKE: MYRTON T SMITH, P.O. BOX 256, HOPE, RI. 02831, USA.
E-mail: n1gke@cox.net
Website: <http://www.icq.com/12811524>
Locator: FN41fr
Frequency: 28185.0 kHz
Power: due on air soon
+++++

N1ME: PINE STATE AMATEUR RADIO CLUB, PO BOX 3604, BANGOR
ME 04402, USA.
E-mail: w1lic@mint.net kc1wq@juno.com
Website: <http://www.qsl.net/n1me/>
Locator: FN54ps
Frequency: 28248.0 kHz
Power: 5 watts
+++++

N1WRG: ERIC A. SZOKA, PO BOX 17, WALES MA 01081-0017, USA.
Locator: FN32vb
Frequency: 28234.5 kHz
Power: 25 watts
+++++

N2CQR: WILLIAM R. MEARA, 996 N. ROOSEVELT ST. FALLS CHURCH,
VA 22046, USA.
E-mail: wmeara@erols.com
Locator: FM18?
Frequency: 28240.0 kHz
Power: 750mw into Dipole
+++++

N2JNT: JOHN F. BULMER, 79 ONEIDA AVE, TROY NY 12180, USA.
E-mail: jbulmer@capital.net
Web: <http://capital.net/~jbulmer/page3.htm>
Locator: FN32dr
Frequency: 28285.0 kHz
Power: 1 watt
+++++

N2UHC: TOM SEVART, 307 GRANBY, FRONTENAC KS 66763-2440, USA.
E-mail: n2uhc@yahoo.com
Website: http://www.geocities.com/n2uhc_2/beacon.html
Locator: EM27pk
Frequency: 28232.0 kHz
Power: 2 watts into vertical dipole
+++++

N2VMF: HOWARD LAMHUT, 10 TERRANCE TERR, FREEHOLD NJ 07728, USA.
E-mail: howardvmf@erols.com
Locator: FN20uf (FM07)
Frequency: 28236.0 kHz
Power: 5 watts
+++++

N2XE: cecchere@us.ibm.com
Locator:
Frequency: 7023.5 kHz
Power: 20mW
+++++

N3BUB: MICHAEL A. BOUCHARD, PO BOX 561, KRESGEVILLE PA 18333, USA.
Locator: FN20fv
Frequency: 28214.0 kHz
Power: 5 watts
+++++

N3FTI: STEVEN E. KERNS, 845 LOBELIA AVE, READING PA 19605, USA.
E-mail: skerns@ptd.net
Locator: FN20ah
Frequency: 28216.4 kHz
Power: 5 watts
+++++

N3MVF:


E-mail: Almetco@aol.com
Locator: FNOOdn
Frequency: 28215.0 kHz
Power:

++++
N3NIA:

(ex KB3BOE) ELK COUNTY AMATEUR RADIO ASSOCIATION, C/O ELK COUNTY COURTHOUSE, PO BOX 448, RIDGWAY PA 15853, USA.
E-mail: wa8rzr@arrl.netcsc32@alltel.net
Website: <http://www.qsl.net/kb3boe/>
Locator: FN01pk
Frequency: 28205.0 kHz
Power: 5 watts

++++
N3PFF:

JOHN RYMELL N3PFF, 6175 ROUTE 405 HIGHWAY, MUNCY, PA 17756, USA.
E-mail: jrymell@husky.bloomu.edu
Locator: FN11oe
Frequency: 28201.5 kHz (due on air early 2002)
Power: 5 watts Antenna A99 3db Vertical @ 25 feet



++++
N3UMH:

DANIEL S. ZIMMERMAN, 7470 HENRY ST. ERIE PA 16509-4550, USA.
E-mail: zimmerds@clarkson.edu
Web: <http://www.clarkson.edu/~zimmerds/amateur.html>
Locator: EN92xb
Frequency: 28205.0 kHz
Power:

++++
N4ES:

WILLIAM E. COLEMAN, JR. 1984 LANSING DRIVE, CLEARWATER, FL 33763-4424, USA.
E-mail: n4es@tampabay.rr.com
Locator: EL83pa
Frequency: 28238.0 kHz
Power: four one-second dashes (20W, 2W, 200mW, 20mW), and repeated about every 15 seconds.

++++
N4HLF:

HOWARD FRAILEY, 1103 SUNCREST DR. APOPKA FL 32703, USA.
QSL Policy: Reports should be sent to his postal mailing address, return postage not required. Reports sent by e-mail, or scanned QSL cards **NOT ACCEPTED.**
Website: <http://www.n4hlf.com>
Locator: EL98
Frequency: 28273.0 kHz
Power: 15 watts into a Ringo Ranger vertical from HTX-100

++++
N4QA:

WILLIAM MABRY, 7589 CEDAR GROVE LANE, RADFORD, VA24141-8981, USA.
E-mail: n4qa@hotmail.com
Website: <http://www.n4qa.com>
Locator: EM97qe
Frequency: 10114.0 kHz
Power: 18mW

++++
N5AQM:

MICHAEL A. HENRY, 4623 W MILKYWAY, CHANDLER AZ 85226, USA.
Locator: DM43ah
Frequency: 28286.0 kHz
Power: 2 watts

++++
N6PEQ:

DAN M. DANKERT, 13672 FAIRMONT WAY, TUSTIN CA 92680, USA.
E-mail: n6peq@dxer.com n6peq@arrl.et
Website: <http://www.n6peq.com>
Locator: DM13
Frequency: 28263.0 kHz
Power: 5 watts into a dipole up 25' NE/SW

N7CZ: ROBERT AVRITT, SR. 324 CENTRAL 171, GREAT FALLS MT 59401, USA.
E-mail: n7cz@arrl.net
Website: <http://www.qsl.net/n7cz>
QSL Policy: All QSL requests must include a SASE for U.S. requests. DX 1-IRC or \$1.00 U.S.
Locator: DN47
Frequency: 28291.0 kHz
Power: 10 watts into 4 ele Yagi

+++++

N7GSU: ROBIN L. FAULKNER, 24142 SW PEAVINE RD. MCMINNVILLE
OR 97128-8368, USA.
Locator: CN85if
Frequency: 28282.5 kHz
Power: 0.5 watts

+++++

N7HFK: (N7JS) JAMES SOUTHWICK N7JS, 3385 HARRISON BLVD 3, OGDEN UT 84403, USA.
E-mail: soujim@wfrmls.com
Website: <http://www.weatherstation.tripod.com/beacon.html>
Locator: DN41ae
Frequency: 28226.55 kHz
Power: 1 watt

+++++

N7LF: JOEL HARRINGTON, PO BOX 321, CORBETT OR 97019, USA.
E-mail: n7lf@amsat.org
Locator: CN85vi
Frequency: 28261.0 kHz
Power:

+++++

N7LT: LYNDEL L. THIESEN, 1679 REMUDA DR, BELGRADE MT 59714, USA.
E-mail: n7lt@arrl.net
Web: <http://www.qsl.net/n7lt>
Locator: DN45lq
Frequency: 28248.5 kHz
Power: TX 5W, 0.5W, 50 MW (tone at 5 watts for 5sec), (tone at 0.5 watts for 5 sec),
(tone at 50 mw for 5sec), AR (5 sec of no transmission), (cycle repeats).

+++++

N7PYS: DONALD F. FIEDLER, SR. 13702 W MARYLAND AVE, LITCHFIELD PARK
AZ 85340, USA.
Locator: DM33tm
Frequency: 28290.5 kHz
Power: 3 watts

+++++

N7SCQ: ABE LEWKOWICZ, 3301 BRISTOL ROAD, SACRAMENTO, CA 95864, USA.
E-mail: n7scq@sbcglobal.net
Locator: CM98or
Frequency: 28265.0 kHz
Power: 3 watts into an A99 Vertical @18 feet from a radio Shack HTX-100 24H

+++++

N8KHE: (Now W8LKE)
Frequency: 28246.0 kHz
Power: 500mw into Vertical

+++++

N8NSY: GARY C. STANKOVEN, 1999 HUNTER RD, BRIGHTON MI 48116, USA.
E-mail: sstanko@htonline.com
Locator: EN82cn
Frequency: 28290.0 kHz
Power: 2 watts

+++++

N8WLC: RICHARD HENSEL, LEXINGTON, OHIO 44904, USA.
E-mail: n8wlc@arrl.net
Locator: EN80rq
Frequency: 28264.0 kHz
Power: 8 watts

+++++

N8YEL: PETER VENLET N8YEL, 1348 WOODFIELD DRIVE, ZEELAND, MI 49464, USA.
(Note# probably only temporary for several days of tests in October 2001)

E-mail: pvenlet@freenet.macatawa.org
Website: <http://www.macatawa.org/~pvenlet>
Locator: EN62?
Frequency: 28286.8 kHz
Power: 8 watts into 3-element beam

+++++
N9AVY: JERRY HEIEN, P.O. BOX 190, CARY IL 60013, USA.

E-mail: n9avy1@mc.net
Locator: EN52
Frequency: 28252.0 kHz
Power: 2 watts from HTX-100 into Antron 99 Vertical

+++++
N9BPE: Carl J Humes, N9BPE, 114 W ENSEY, TUSCOLA, IL 61953, USA.

E-mail: chumes@tuscola-il.com
Locator: EM59ut
Frequency: 28226.7 kHz
Power: 2 watts into a converted CB Dipole



+++++
N9JL: JOHN LUTZ, 1212 COUNTRY DRIVE, SHOREWOOD, IL 60431, USA.

E-mail: n9jl@email.msn.com
Locator: EN51vm
Frequency: 28201.6 kHz
Power: 10 watts

+++++
N9RET: N9RET BEACON, 2230 S. 15th AVENUE, BROADVIEW, ILLINOIS, 60155-4006, USA.

E-mail: n9ret@arrl.net n9ret@hotmail.com
Locator: EN61cu
Frequency: 28233.5 kHz
Power: 500 milliwatts into an Antron A-99 vertical Transmitter Ten-Tec 540

+++++
N9SSA: PETER R. HOFFSWELL, N9SSA, 996 SOUTH BAYWOOD RD. HOLLAND MI 49424, USA.

E-mail: n9ssa@arrl.net
Web: <http://www.qsl.net/n9ssa/beacon.html>
Locator: EN62wt
Frequency: 28234.0 kHz
Power: 500 milliwatts into 80M Center Fed Zepp Through MFJ VersaTuner

+++++
N9YDZ: MARK B. MYERS, 27 WILLIAMS LN, BRIGHTON IL 62002, USA.

E-mail: n9ydz@arrl.net n9ydz@pisanet.com
Web: <http://www.angelfire.com/electronic/n9ydzbcn/>
Locator: EM48
Frequency: 28210.0 kHz
Power: 1 watt

+++++
NC6DX: REMINGTON HILL DX CLUB, PO BOX 60307, SUNNYVALE, CA 94088-0307, USA.

E-mail: NC6DX@amateur-radio.org
Web: <http://www.amateur-radio.org>
Locator: CM87xi
Frequency: 28223.0 kHz
Power: 10 watts

+++++
ND0DX: DARREN S. LENO, 5513 NORTH 17th STREET, MOORHEAD, MN 56560, USA.

E-mail: ND0DX@arrl.net
Website: <http://members.xoom.com/darrenleno/ndodx.htm>
Locator: EN16ou
Frequency: 28297.0 kHz
Power: 2 watts

+++++

ND4Z: RICHARD HATALSKI, 102 JOHN LONG RD. GILBERT SC 29054, USA.
E-mail: nd4z@yahoo.com
Locator: EM94
Frequency: 28293.3 kHz
Power: 3 watts into 3 ele Yagi @ 60ft
+++++

NO6J: DEAN C. WARREN, 2936 PONDEROSA CIR, THOUSAND OAKS,
CA 91360-6333, USA.
Locator: DM04nf
Frequency: 28280.0 kHz
Power: 5 watts
+++++

NP2SH: Beacon located at St. John's, US Virgin Islands.
QSL Manager: STEVEN LANE, 897 LOVINGSTON DR. PITTSBURGH PA 15216-1725, USA.
E-mail: w3srl@yahoo.com slane@adelphia.net
Website: <http://www.w3srl.com>
Locator: FK78
Frequency: 28275.5 kHz
Power: 5 watts into a vertical
+++++

NQ2RP: BYRON/BERGEN AMATEURS, W. KEITH HIBBERT, TRUSTEE, 41 N. LAKE
AVE. BERGEN, NY 14416-9528, USA.
E-mail: w2ten@juno.com
Locator: FN13ac
Frequency: 28287.3kHz
Power: 2 watts
+++++

NR0NR: ARTHUR E. MC GAHEY, JR.4049 E 133RD CIR, THORNTON CO
80241-1503, USA
E-mail: NR0NR@arrl.net
Web: <http://www.webharvest.com/nr0nr.htm>
Locator: DM79mw
Frequency: 28275.0 kHz
Power: 4 watts
+++++

NS9RC: NORTH SHORE RADIO CLUB INC, NS9RC, P.O.BOX 1066, HIGHLAND PARK,
IL.60035, USA.
E-mail: kk9h@arrl.net or donw545@earthlink.net
Locator: EN62dc
Frequency: 28297.0 kHz
Power: 8 watts into vertical
+++++

NU4G: THOMAS NORRIS, II, 1866 SAINVILLE ROAD, MANCHESTER TN 37355, USA.
E-mail: r390a@bellsouth.net
Website: <http://www.fernblatt.net>
Locator: EM65wl
Frequency: 28284.6 kHz
Power:
+++++

NV6A: STEPHEN M. OI, 303 APPOMATTOX DR. BRENTWOOD, TN 37027, USA.
(Now W6EH)
Locator: DM12?
Frequency: 28237.0 kHz
Power: 0.5 watts into Yagi
+++++

NX2O: WOLFGANG H. DRUS, 364 ROSS AVE, STATEN ISLAND NY 10306, USA.
Locator: FN20wn
Frequency: 28209.0 kHz
Power: 10 watts into Ground Plane
+++++

OA4B: (NCDXF) RADIO CLUB PERUANO, LOS RUISORES ESTE 2DA.CDRA. LIMA, PERU.
E-mail: oficina@oabbs.org.pe
Locator: FH17kv
Frequencies: 14100, 18110, 21150, 24930, 28200 kHz
Power: 100,10,1,0.1 watts
+++++

OD5TEN: (Address & details required) Tripoli, Libya.

Locator:
Frequency: 28180.0 kHz
Power:

+++++
OH2B: (NCDXF) HELSINKI TECHNICAL UNIVERSITY, FINLAND.

Locator: KP20ke
Frequencies: 14100, 18110, 21150, 24930, 28200 kHz
Power: 100,10,1,0.1 watts

+++++
OH9TEN: QSL via MR. VELI LETHO OH9LA, PIRTTIKOSKENTIE 1988, FIN-97635, JUUNIEMI, FINLAND.

Locator: KP36Ooi (Pirttikoski)
Frequency: 28267.5 kHz
Power: 20 watts

+++++
OK0EF: QSL MANAGER: PETR KOLAR, OK1FAQ, MALE PRITOCNO 7, CZ-273 51, UNHOST, CZECH REPUBLIC.

E-mail: ok1faq@volny.cz
Website: <http://sweb.cz/ok0ef/index.html>
Locator: JO70bc
Frequency: 10134.0 kHz
Power: 500mw/200mw/100mw

+++++
OK0EG: QSL MANAGER: PETR KOLMAN, SPORILOVSKA 214, HRADEC KRALOVE 7, 503 41, CZECH REPUBLIC.

E-mail: kolmanp@razdva.cz
Locator: JO70we
Frequency: 28282.5 kHz
Power: 10 watts



+++++
OK0EK: QSL MANAGER: HANA KOSIROVA OK2PMW, DUBRAVA 1440, CZ-69662 STRAZNICE, GHO, CZECH REPUBLIC.

Locator: JN89qg
Frequency: 1840.0 kHz
Power: 4 watts

+++++
OK0EN: QSL MANAGER: MIREK NAJMAN OK1DUB, KLDENSKA 117, KAMENNE ZEHROVICE, CZ - 273 01, CZECH REPUBLIC.

E-mail: ok1dub@volny.cz
Website: <http://www.qsl.net/ok0en/index.html>
Locator: JO70ac
Frequency: 3600.0 kHz
Power: 0.15 watts

+++++
OK0EU: OK QRP Club, U1. Baterie 1, 162 00, Praha 6, Czech Republic.
Location: Ionospheric Observatory in Pruhonice near Prague, Czech Republic.
QSL information: Reception reports are welcomed at: <http://r00t.host.sk/ok0eu/report-form.php>
(This will generate an electronic QSL card for the reporter)

E-mail: okgrp@qsl.net
Website: <http://www.qsl.net/ok0eu/index.html>
Locator: JN79gx
Frequencies: 3594.5 kHz, 7038.5 kHz
Power: 1 watt



+++++
OK0EV: QSL MANAGER: JAN NOVAK OK1FMZ, OLESKO 11a, CZ-25245 ZVOLE BPZ, CZECH REPUBLIC. (reports in Czech or German language preferred!)

QSL Info: Reports can be made via a button on the website!
E-mail: ok0ev@seznam.cz
Website: <http://www.sweb.cz/ok0ev/index.html>
Locator: JN79ev
Frequency: 1854.0 kHz
Power: 100 watts On Air 6am to 8pm

OK1IF: MILAN STEJSKAL, OK1IF, VLCI VRCH 669, CZ-46005 LIBEREC 15, ELI, CZECH REPUBLIC.

E-mail: mil-vuts@vuts.cz
SMS: 420607270921
Website: <http://www.qsl.net/ok1if>
Locator: JO80ms
Frequency: 3550.0 kHz
Power: 2 watts (later 1 watt) temporary test from home brewed TX

+++++

PA1SDB: PETER KNOL, KAREL DOORMANSTRAAT 22, 9903AL APPINGEDAM, THE NETHERLANDS.

E-mail: pa1sdb@amsat.org
Website: <http://www.qsl.net/pa1sdb>
Frequency: 14318.4 kHz (on air in June/July 2003 for attended operation – see website!)
10140.055 kHz – some low power tests here in October 2003
Locator: JO33kh
Power: 10/55 milliwatts into an Inverted V.



+++++

PA3FCB/A: EFL DE WILDE, POSTBUS 13, 4567ZG CLINGE, NETHERLANDS.

E-mail: fmboz@xs4all.nl
Locator: JO28bg
Frequency: 28178.0 kHz
Power: 4 watts

+++++

PA5WT: KEES DE WIT, MADELIEFSTRAAT 12 B, 2153 EV NIEUW VENNEP, NETHERLANDS.

E-mail: PA5WT@witkees.demon.nl
Locator: JO22hg
Frequency: 28155.8 kHz
Power:

+++++

PI7BQC: (Address required) HAARLEM, NETHERLANDS.

Locator: JO22hk
Frequency: 28249.7 kHz
Power: 2 watts

+++++

PI7ETE: P. J. PIEK, PA0ETE, POSTBUS 28060, HOOGLAND, 3828ZH, NETHERLANDS.

Locator: JO22qd
Frequency: 28302.0 kHz
Power: 0.5 watts

+++++

PT7BCN: LIGA B RADIOAMADORES-LABRE, PT7BCN, AVE DIOGUINHO 5957, CENTRO 60030000 FORTALEZA CE, BRAZIL.

Locator: HI06rf
Frequency: 28213.0 kHz
Power: 5 watts

+++++

PT8AA: LIGA DE AMADORES BRASILEIROS DE RADIO EM, PT8AA CAIXA POSTAL 149 RIO BRANCO, AC 69900, BRAZIL.

Locator: FI60ca
Frequency: 28218.4 kHz
Power: 5 watts

+++++

PY2AMI: SUB DIRECTORIA SECC LABRE AMERICAN PY2AMI, CAIXA POSTAL 31, CENTRO 13465000 AMERICAN, SP, BRAZIL.

Locator: GI21?
Frequency: 28226.0 kHz
Power: 5 watts into omni

+++++

PY2JA: JOSE A. S. ARANHA PY2JA, R. JOAO MOURA 893, JD AMERICA, 05412000 S. PAULO, SP, BRAZIL.

Locator: GI21?
Frequency: 28194.7 kHz
Power: 10 watts into a vertical

+++++

PY2XW: FERNANDO RODRIGUES, R. ARLETE TEREZINHA PIZAO ,
330 CAMPINAS - SAO PAULO BRASIL 13033-230
Locator: GI21
Frequency: 28220.0 kHz
Power: 5 watts
+++++

PY3ARL: ASSOCIACAO DOS RADIOAMADORES DO LITORAL, CAIXA POSTAL, 235,
CEP:92.500-000 - GUAÍBA - RS, BRAZIL.
E-mail: ssaez@guaibanet.com.br
Locator: GG40ue
Frequency: 28230.0 kHz
Power: 5 watts
+++++

PY3IBZ: P.O. BOX 5081, ZIP 90041-970, PORTO ALEGRE, BRAZIL.
Locator: GF49kw
Frequency: 28227.0 kHz
Power: 20 watts into Vertical antenna
+++++

PY3PAG: PAULO ALBUQUERQUE GIACOMUZZI, AV GETULIO VARGAS 939,
MENINO DEUS, 90150-003 PORTO ALEGRE, RS BRAZIL.
Locator: GF49wx
Frequency: 28260.5 kHz
Power:
+++++

PY3PSI: MILTON TEUNER, PO BOX 952, ZIP 90001-970, PORTO ALEGRE, BRAZIL.
E-mail: py3psi@qsl.net py3psi@yahoo.de
Locator: GF49kx
Frequency: 10140 kHz, 21393 kHz, 28250 kHz, TX schedule is intermittent
Power: 10140 2w ant Dipole 21393 4w ant Dipole 28250 3w ant GP experimental
+++++

PY3UEB: ASS DE RADIOMADORES ESCOTEIROS BAEPENDI, PY3UEB, CAIXA POSTAL
5546 90411-970 PORTO-ALEGRE RS, BRAZIL.
E-mail: py3ueb@baependi.com.br & py3mhz@cteparobe.com.br
Web: <http://www.baependi.com.br>
Locator: GI21?
Frequency: 28230 kHz
Power: 1 watt into a vertical.
+++++

PY4YYF: FLÁVIO HERMÉTO SALLES, SILEX N° 65, BAIRRO CAMARGOS, CEP:30520-
200 BELO HORIZONTE MINAS GERAIS, BRAZIL.
Locator: GH70xb
Frequency: 28115.0 kHz
Power: 15 watts (24 hour operation)
+++++

PY5CTB: IZOULET LIMA MOREIRA CORTES, R. JOAQUIM DA SILVA SAMPAIO,
130 - MERCES, CURITIBA - PARANA - 80.710-630, BRAZIL.
E-mail: py5nd@mps.com.br (QSL manager)
Locator: GG54io
Frequency: 28248.5 kHz
Power:
+++++

PY5ND: IZOULET LIMA MOREIRA CORTES, R. JOAQUIM DA SILVA SAMPAIO,
130 - MERCES, CURITIBA - PARANA - 80.710-630, BRAZIL.
E-mail: py5nd@mps.com.br
Locator: GG54in
Frequency: 28248.5 kHz
Power: 1 watt
+++++

RA6BEACON: (Address required) RUSSIA.
Locator: KN93wm
Frequency: 28151.0 kHz
Power: QRP
+++++

RK3XWA: SCHOOL RC, ENGEL ST. 12, 248640 KALUGA, RUSSIA.
Locator: KO84dm
Frequency: 28265.0 kHz
Power:
+++++

RN6BN: SAM DUBOVTSEV, 350000, KRASNODAR, P.O. BOX 3947, RUSSIA.
E-mail: 73@73.ru
Website: <http://www.73.ru>
Locator: KN95lc
Frequency: 1810.0 kHz
Power:
+++++

RR90: (NCDXF) OPERATOR: YURI ZARUBA, UA9BA, QSL VIA: CLUB STATION RW9OWM,
PO BOX 1, 630092 NOVOSIBIRSK, RUSSIAN FEDERATION.
Locator: NO14kx
Frequencies: 14100, 18110, 21150, 24930, 28200 kHz
Power: 100,10,1,0.1 watts
+++++

RW3AFY: ALEXANDER KOZLOV, LENINSKY 129-1-570, MOSCOW 117513 RUSSIA.
E-mail: alex@tarkus.ru
Website: <http://rw3afy.narod.ru/>
Locator: KO85ss
Frequency: 28301.0 kHz
Power:
+++++

RZ1AWR: RZ1AWR, CLUBSTATION, OP. DMITRI (DICK), SAINT PETERSBURG, RUSSIA.
E-mail: dv@neda-paging.com
Locator: KO59dx
Frequency: 28241.0 kHz
Power: 10 watts
+++++

S55ZRS: ZVEZA RADIOAMATERJEV SLOVENIJE (ZRS), LEPI POT 6,
1000 LJUBLJANA, SLOVENIA.
E-mail: S59AR@hamradio.si zrs-hq@hamradio.si
Locator: JN76mc
Frequency: 28208.0 kHz
Power: 10 watts
+++++

SKØCT: CHRISTER JOGENBORN SMØNCL, GRIPSVALLSVAGEN 17A, 187 33,
TABY, SWEDEN.
E-mail: c.jogenborn@telia.com
Website: <http://sk0ct.netrunner.org>
Locator: JO89xk (beacon at temporary QTH)
Frequency: 28292.5 kHz
Power: 10 watts into Vertical Antenna
+++++

SK2TEN: DRAG KRISTINEBERG, SK2TEN, TICKVAEGEN 3, SE-921 41 LYCKSELE,
SWEDEN.
Locator: JP95hb (QTH: Kristineberg)
Frequency: 28295.0 kHz
Power: 50 watts
+++++

SK3TEN: JAAN JURGENSON, SM0OEK, SVARTVIKSSLINGAN 6, S-16739 Bromma,
SWEDEN.
E-mail: sm0oek@hotmail.com
Locator: JP80fd (QTH: Öster Färnebo)
Frequency: 28299.0 kHz
Power: 30 watts from 2 x 6-element yagi Tx Ranger AR3500
+++++

SK5AE: (ex-SK5TEN) CHRISTER STREIFFERT SM0JXA, Lilla Hasta 2, SE-64592 STRANGNAS,
SWEDEN.
Locator: JO89kk (QTH: Strängnäs)
Frequency: 28290.0 kHz
Power: 50 watts
+++++

SK7TEN: RADIOFYR CLUB 500, SK7TEN, LUPINGATAN 1, SE-575 36 EKSJOE, SWEDEN.
 Locator: JO77ls (QTH: Nässjö)
 Frequency: 28297.0 kHz
 Power: 10 watts
 ++++++

SM0NCL/3: CHRISTER JOGENBORN SMØNCL, GRIPSVALLSVAGEN 17A, 187 33, TABY, SWEDEN.
 E-mail: c.jogenborn@telia.com
 Website: <http://sk0ct.netrunner.org>
 Locator: JP83 (TÅSJÖ)
 Frequency: 28288.0 kHz
 Power: 50 watts into Ground Plane Antenna
 ++++++

SV3AQR: GIANNIS THEOFILOFOULOS, P.O. BOX 30, AMALIADA, GR-27200, GREECE.
 E-mail: sv3agr@packet-g.ceid.upatras.gr sv3agr@qsl.net
 Packet: sv3agr@sv8rv.zak.grc.eu
 Website: <http://www.qsl.net/sv3agr/>
 Locator: KM07qr
 Frequency: 28182.4 kHz
 Power: 4 watts
 ++++++

SV8J: RASH (Radio Amateur Society of Hellas, SV1GRC) and is located at Tinos Island, RADIO AMATEUR SOCIETY OF HELLAS, P.O.BOX. 51055, ATHENS, KIFISSIA 14510, GREECE.
 E-mail: sv1awl@eexi.gr
 Website: <http://www.grc.gr>
 Locator: KM27
 Frequency: 28202.5 kHz (might not yet be on air!)
 Power: 2 watts into a quarter wave vertical antenna.
 ++++++


UA4NM: VLAD SUVOROV, UA4NM POB 850, 610030 KIROV, RUSSIA.
 Locator: LO48uo
 Frequency: 28302.0 kHz
 Power:
 ++++++

V73TEN: ROI NAMUR ISLAND. George Arthur Talbot, V73GT
 E-mail: talbot@kmr.ll.mit.edu
 Locator: RJ39rj
 Frequency: 28298.0 kHz
 Power: 10 watts
 ++++++

VA2MGL: MARC GAGNON, 36 RUISSEAU DES FRENES, LA MALBAIE G5A 2C8, CANADA.
 E-mail: va2mgl@arrl.net
 Web: <http://www.qsl.net/va2mgl>
 Locator: FN74uq
 Frequency: 28196.0 kHz
 Power: 2 watts into turnstile dipole
 ++++++

VA3GRR: S. MAKSYLEWICH, 24 Casper Cresc, Brampton Ontario L6W 4N3, CANADA.
 E-mail: steph@maksystems.com
 Website: <http://www.felesmagis.com/va3grr>
 Locator: FN03
 Frequency: 28205.8 kHz
 Power: 1 watt into a half wave vertical
 ++++++

VA3ODX: STEPHEN CANNEY, 1229 MARLBOROUGH CRT. APT. 1006, OAKVILLE, ON L6H 3B6, CANADA. (also has VA3SRC/ODXA callsign!)
 E-mail: scanney@home.com
 Website: <http://www.odxa.on.ca/>
 Locator: FN03
 Frequency: 28263.0 kHz
 Power: 5 watts into Dipole
 ++++++



VA3ROR: BOB COOKE, VE3BDB, 424 HOMEWOOD AVE. ORILLIA, ONTARIO, L3V 3K8, CANADA.
E-mail: ve3bdb@qsl.net
Website: <http://www.qsl.net/ve3bdb>
Locator: FN04eq
Frequency: 28190.4 kHz (now CW only)
Power: 5 watts into vertical 15 ft AGL
Message ID: "DE VA3ROR VA3ROR VA3ROR GRID FN04EQ ORILLIA CANADA"
(followed by a 15-second silence, then a repetition of that sequence).

+++++
VA3SBB: FRED LESNICK (VE3FAL), RURAL ROUTE #1, 1731 HWY. 608, SOUTH GILLIES, ONTARIO, P0T 2V0, CANADA.
Fred has a very nice certificate that he sends out to all correct beacon reports. Just tell him the date and time you heard the beacon, and the contents of the beacon text. And don't forget to include your address.

E-mail: flesnick@tbaytel.net
Web: <http://www.qsl.net/ve3fal>
Locator: EN58
Frequency: 28241.0 kHz
Power: 5 watts into Antron 99



+++++
VA3SRC: STEPHEN CANNEY, 2952 BAYVIEW AVENUE, WILLOWDALE ON M2N 5K6, CANADA.

Locator: FN03
Frequency: 28263.0 kHz
Power: 5 watts

+++++
VA3XCD: BILL POOLEY, 63 CAYUGA AVENUE, OSHAWA, ONTARIO, L1G 3X5 CANADA.

E-mail: va3xcd@rac.ca
Locator: FN03nw
Frequency: 28170.0 kHz
Power: 1.8 watts from Uniden HR-2510 into A-99 Vertical

+++++
VE1CBZ: FREDERICTON CBC AMATEUR RADIO CLUB, 30 APPLE LANE, KESWICK RIDGE, NB E6L 1P6, CANADA.

E-mail: alt@brunnet.net
Locator: FN65
Frequency: 28235.5 kHz
Power: 3 watts

+++++
VE1/W1BKR/B: WILLIAM F. BAKER, W1BKR, 2 HIGHGATE RD, RIVERSIDE, CT 06878, USA.
(beacon located at Henry Island, Nova Scotia, Canada - summertime only)

E-mail: Bill@HenryIsland.com
Website: <http://www.henryisland.com>
Locator: FN95
Frequency: 28271.5 kHz
Power: 3 watts, antenna Ground Plane

+++++
VE2FUT: STUART TRUBA VE2XX, 2217 DYNASTIE, ST LAZARE, QC J0P 1V0, CANADA. (QSL via VE2XX)

E-mail: dpi@cam.org
Locator: FN52wt
Frequency: 28220.0 kHz
Power: 110 watts into Dipole?

+++++
VE3EEL: ROBERT CHARLES MERKLEY VE3EEL, 1315 VANCOUVER AVE. OTTAWA, ON K1V 6T8, CANADA.

E-mail: bucve3@yahoo.ca
Locator: FN25
Frequency: 28222.55 kHz
Power: 2 watts into 1/4 wave Vertical @ 25 ft Uniden HR2600 TX

VE3GOP: ALEX WIECEK, 3715 WINDHAVEN DRIVE, MISSISSAUGA ON L5N 7V2, CANADA.
E-mail: alexwiecek@rogers.com
Web: <http://members.rogers.com/wiecek6010>
Locator: FN03cn
Frequency: 28235.0 kHz
Power: 200 milliwatts into 15ft vertical on side of house. Transmitter is Realistic HTX-100

+++++
VE3LZ: JOHN DUDLEY, 323 BAY STREET SOUTH, HAMILTON, ON L8P 3J7 CANADA.
E-mail: ve3lz@rac.ca
Locator: FN04?
Frequency: 28291.5 kHz
Power: 5 watts to a vertical

+++++
VE3RAT: RICHARD ALFRED FRANCIS, 45 PENWICK CR., RICHMOND HILL ON L4C 5B3, CANADA.
Locator: FN03gl
Frequency: 18101.0 kHz
Power: 1 watt

+++++
VE3TEN: OTTAWA AMATEUR RADIO CLUB, HARRIE F C JONES, 78 SCARLET COURT, OTTAWA ON K1T3R6, CANADA.
E-mail: exec@oarc.net
Web: <http://oarc.net/photos/ve3ten.html>
Locator: FN25
Frequency: 28175.0 kHz
Power: 10 watts

+++++
VE4ARM: DAVE EYOLFUR SNYDAL, 25 QUEENS CRESCENT, BRANDON MB R7B1G1, CANADA
E-mail: dsnydal@mb.sympatico.ca
Web: <http://mbnet.mb.ca/~donahue/austin.html>
Locator: EN09
Frequency: 28193.0 kHz
Power: 5 watts



+++++
VE4TEN: RONALD JAMES PLACE, GENERAL DELIVERY, MANIGOTOGAN, MB R0E 1E0, CANADA.
Locator: EN19
Frequency: 28210.0 kHz
Power: 3 watts

+++++
VE6GTE: Richard Erickson, BOX 184, BASSANO, ALBERTA T0J 0B0, CANADA.
E-mail: ve6gte@eidnet.org
Locator: DO30hw
Frequency: 28190.6 kHz
Power: 5 watts Antenna Cushcraft R7 Vertical, TX = Radio Shack HTX-100.

+++++
VE6YF: JAMES AURELE McGRATH, 62 CASTLE CRESCENT, RED DEER, AB T4P 2E9, CANADA.
Locator: DO34?
Frequency: 28195.0 kHz
Power: 10 watts into Ground Plane

+++++
VE7MTY: MARTIN HILL, 19696 115A AVENUE, PITT MEADOWS BC V3Y 1P1, CANADA.
E-mail: ve7mty@rac.ca
Web: <http://www3.telus.net/marty>
Locator: CN89
Frequency: 28197.0 kHz
Power: 25 watts Realistic HTX-100 TX & Half Wave Vertical

VE8AT: (NCDXF) NORTHERN ALBERTA RADIO CLUB NORTHERN ALBERTA RADIO CLUB,
 BOX 163, EDMONTON AB T5T1C1, CANADA.
 Website: <http://www.narc.net/ve8at.html>
 Locator: EQ79ax (79° 59' 00" N - 85° 57' 00" W)
 Frequencies: 14100, 18110, 21150, 24930, 28200 kHz
 Power: 100, 10, 1, 0.1 watts
 ++++++

VE9AT: DAVID MILLER, 468 WHITEHEAD ROAD, WHITEHEAD ISLAND,
 NEW BRUNSWICK, E5G 1K9, CANADA.
 E-mail: ve9at@rac.ca
 Locator:
 Frequency: 28227.0 kHz
 Power: 100mW
 ++++++

VE9BEA: VERNETT F SMITH, 81 GARDEN VIEW DRIVE, ISLAND VIEW NB
 E3E 1A3, CANADA.
 E-mail: tvsnb@sympatico.ca
 Locator: FN66
 Frequencies: 21145.0 kHz + 28246.0 kHz
 Power: 21 MHz - 225 mW into a dipole, 28 MHz 3 watts into a vertical
 ++++++

VE9MS: MICHAEL EDWARD SMITH, 271 SMITH ROAD, WATERVILLE NB
 E2V3V6, CANADA.
 Locator: FN65
 Frequency: 28242.0 kHz
 Power: 5 watts
 ++++++

VK2BLR: MICHAEL BURTON, PO BOX 709, PARKES, NSW 2870, AUSTRALIA.
 E-mail: ft77@dodo.com.au
 Locator: QF46cu
 Frequency: 3610.0 kHz
 Power: 3 watts to N/S Inverted V Operates FRI 0700 through SUN 1030Z only.
 Frequency stability 0.2 parts in 10⁹, Gps locked. Modulated with one second bips
 within 5 ms of UTC. Mode CW ID every half hour.
 ++++++

VK2RCW: HORNSBY AMATEUR RADIO CLUB INC VK2MA. PO BOX 362, HORNSBY,
 NSW 2077, AUSTRALIA. (Morse Practice Beacon)
 E-mail: hadarc@marconi.mpce.mq.edu.au
 Web: <http://marconi.mpce.mq.edu.au/hadarc>
 Locator: QF56
 Frequency: 3699.0 kHz
 Power:
 ++++++

VK2RSY: P.O.BOX 432, HARRIS PARK NSW 2150, AUSTRALIA. .
 E-mail: vk2wi@wiansw.org.au
 Locator: QF56mh
 Frequency: 28262.0 kHz
 Power: 25 watts
 ++++++

VK3RMH: NORTH EAST RADIO GROUP INC. PO BOX 270, GREENSBOROUGH,
 VIC 3088, AUSTRALIA.
 E-mail: vk3rmh@qsl.net or vk3rmh@hotmail.com
 Web: <http://www.qsl.net/vk3rmh> <http://www.nerg.asn.au>
 Locator: QF22oh
 Frequency: 28256.5 kHz
 Power: 20 watts
 ++++++

VK3RMV: WIRELESS INSTITUTE OF AUSTRALIA VICTORIAN DIVISION, 40G
 VICTORY BLVD, ASHBURTON, VIC 3147, AUSTRALIA.
 E-mail: vk3six@wia.org.au
 Website: <http://members.datafast.net.au/electronics/index2.htm>
 Locator: QF12wh
 Frequency: 28253.7 kHz
 Power: 20 watts into a 5 ele beam from a HTX-110 TX
 ++++++

VK3RSX: WIA, P.O. BOX 67, DUNOLLY, VICTORIA, AUSTRALIA.
E-mail: vk3rsx@vk3pa.com
Locator: QF13la
Frequency: 28213.5 kHz
Power: 10 watts into 5/8th GP at 55ft (on temporary test?)
+++++

VK3SIX: STEVEN GREGORY, PO BOX 622, HAMILTON, VIC 3300, AUSTRALIA.
Locator: QF02wh
Website: <http://www.datafast.net.au/4217/>
Frequency: 28253.5 kHz
Power: 20 watts
+++++

VK4RTL: ATTN: SECRETARY, THE TOWNSVILLE AMATEUR RADIO CLUB INC.
PO BOX 333, GARBUTT EAST 4814 QUEENSLAND, AUSTRALIA.
E-mail: vk4wit@wia.org.au
Locator: QH30js
Frequency: 28270.0 kHz
Power: 2 watts
+++++

VK5WI: WIRELESS INSTITUTE OF AUSTRALIA SA INC, GPO BOX 1234,
ADELAIDE, SA 5001, AUSTRALIA.
E-mail: tecknolt@arcom.com.au
Web: <http://www.ozemail.com.au/~tecknolt/index.html>
Locator: PF95gd
Frequency: 28260.0 kHz
Power: 10 watts
+++++

VK6RBP: (NCDXF) WIRELESS INSTITUTE OF AUSTRALIA WESTERN AUSTRALIAN DIVISION
INC, PO BOX 10, WEST PERTH, WA 6872, AUSTRALIA.
Website: <http://members.iinet.net.au/~vk6wia/beacons.html>
Locator: OF87bw
Frequencies: 14100, 18110, 21150, 24930, 28200 kHz
Power: 100,10,1,0.1 watts
+++++

VK6RTW: SOUTHERN ELECTRONICS GROUP, 23 HANSON ST. ALBANY,
WA 6330, AUSTRALIA.
Locator: OF84
Frequency: 28266.0 kHz
Power: 4 watts
+++++

VK6RWA: WIRELESS INSTITUTE OF AUSTRALIA WESTERN AUSTRALIAN DIVISION
INC, PO BOX 10, WEST PERTH, WA 6872, AUSTRALIA.
Locator: OF78wb
Frequency: 28264.0 kHz
Power: 20 watts
+++++

VK7RWC: (Planned) TASMANIA/WEST COAST, AUSTRALIA.
Locator: QE28
Frequency: 28267.0 kHz
Power: 10 watts
+++++

VK8VF: DARWIN AMATEUR RADIO CLUB INC, PO BOX 41251, CASUARINA,
NT 811, AUSTRALIA.
Locator: PH57kp
Frequency: 28268.0 kHz
Power: 40 watts
+++++

VL8IPS: ATTN: BEACON SUPPORT, IPS RADIO AND SPACE, P O BOX 1386,
HAYMARKET, NSW 1240 AUSTRALIA.
E-mail: beacon@ips.gov.au
Locator: PH57pj
Frequencies: 5471.5, 7871.5, 10408.5, 14396.5, 20948.5 kHz
Power: 2 kW
+++++



VO1MRC: MARCONI AMATEUR RADIO CLUB OF NEWFOUNDLAND INC, QSL via: JOE D. CRAIG, VO1NA, BOX 1033, TORBAY, NF, A1K 1K8, CANADA.

E-mail: jcraig@morgan.ucs.mun.ca
Locator: FN95hf
Frequency: 5269.0 kHz
Power:

+++++
V01NA: JOSEPH DONALD CRAIG, BOX 1033, TORBAY NF A1K 1K8, CANADA.

E-mail: jcraig@morgan.ucs.mun.ca
Locator: GN38ma
Frequency: 1805.0 kHz
Power: 1 watt

+++++
VP8ADE: BRITISH ANTARCTIC SURVEY, ROTHERA RESEARCH STATION, ADELAIDE ISLAND, ANTARCTIC PENINSULA (V/s Ian Parsons, Comms Manager)

Locator: FC52wk
Frequency: 28285.0 kHz
Power: 8 watts



+++++
VR2B: (NCDXF) HONG KONG AMATEUR RADIO TRANSMITTING SOCIETY CLUB STATION, PO BOX 541, HONG KONG.

E-mail: vr2yrc@hk.super.net secretary@harts.org.hk
Website: <http://www.harts.org.hk/vr2hk.html>
Locator: OL72cg
Frequencies: 14100, 18110, 21150, 24930, 28200 kHz
Power: 100,10,1,0.1 watts

+++++
VR2TEN: HONG KONG AMATEUR RADIO TRANSMITTING SOCIETY, P.O. BOX 541, HONG KONG, CHINA.

E-mail: beacons@harts.org.hk secretary@harts.org.hk
Website: <http://www.harts.org.hk/vr2ten.htm>
Locator: OL72
Frequency: 28290.0 kHz
Power: 5 watts from a 28MHz Monoband 10W TX into 1/4 wave GP

+++++
W0AH: DOUGLASS ALLEN, P.O. BOX 5646, WOODLAND PARK CO 80866, USA.

E-mail: woah@aol.com
Website: <http://hometown.aol.com/W0AH/vacation.html>
Locator: DM78
Frequency: 1802.5 kHz
Power: 1mW

+++++
W0ERE: ALLAN C. GALLO, 1730 STATE HWY HH, HIGHLANDVILLE MO 65669, USA.

E-mail: w0ere@juno.com agallo@mail.orion.org
Locator: EM36iw
Frequency: 28282.6 kHz
Power: 5 watts

+++++
W0KIZ: ROBERT GOLD, 9197 N. CLYDESDALE RD. CASTLE ROCK, CO 80104, USA.

E-mail: regold@worldnet.att.net w0kiz@arri.net
Locator: DM79
Frequency: 28236.5 kHz
Power: 5 watts

+++++
W1NRA: JERRY HEMBY, 1212 43RD ST. PHENIX CITY, AL 36867, USA.

E-mail: w1nra@yahoo.com
Website: www.geocities.com/w1nra/beacon_1.html
Locator: EM72
Frequency: 28240.0 kHz
Power: 5 watts

W2IK: BOB HEJL, PO BOX 6731, SAN ANTONIO, TX 78209, USA.
E-mail: alonestaryank@aol.com
Website: <http://hometown.aol.com/haminfo/W2IK-Beacon.html>
Locator: FN30gr
Frequency: 28242.0 kHz
Power: 10 watts

+++++
W2RTB: ROBERT YOUNG PROPAGATION GROUP.
Beacon Keeper: AL GOSS, 857 N. WINTON RD. ROCHESTER, NY 14609, USA.
E-mail: renal@frontiernet.net k2erg@arrl.net
Locator: FN13
Frequency: 28279.0 kHz
Power: 5 watts into a 9ft Vertical

+++++
W3ATV: JAMES CROTTS, 4592 OAK AVENUE, TREVOSE PA 19053, USA.
E-mail: w3atv@aol.com
Website: <http://members.aol.com/w3atv/>
Locator: FN20
Frequency: 28250.0 kHz
Power: 5 watt into a vertical antenna @ 20ft

+++++
W3AW: KIRK E. STAATS, 6875 BARCLAY RD. SHERMAN IL 62684, USA.
E-mail: w3awgrp@aol.com w3aw@arrl.net kestaats@aol.com
Locator: EM59ev
Frequency: 28212.0 kHz
Power: 1 watt

+++++
W3HH: DOUGLAS P. HAWKINS, 959 CLIFFMINE RD, CORAOPOLIS PA 15108, USA.
E-mail: w3hh@arrl.net w3hh@tsil.net
Website: http://www.w3kwh.com/tower_photos.htm
Locator: EN90
Frequency: 28269.5 kHz
Power: 8 watts

+++++
W3SRL: STEVEN LANE, 897 LOVINGSTON DR. PITTSBURGH PA 15216-1725, USA.
(see NP2SH – for current operations!)
E-mail: w3srl@yahoo.com slane@adelphia.net
Locator: EN90xj
Frequency: 28275.5 kHz
Power:

+++++
W3VD: APL AMATEUR RADIO CLUB, 5609 OLDE OAK DR, MOUNT AIRY MD 21771807, USA.
Website: <http://www.ham-net.net/vu-dx/bcon/w3vd/w3vd.htm>
Locator: FM19ne
Frequency: 28296.2 kHz
Power: 10 watts

+++++
W4GFA: GEORGE F ALLGOOD JR. W4GFA, 125 N LOVINGOOD AVE, WALHALLA, SC 29691, USA.
E-mail: k4pym@carol.net
Locator: EM84ls
Frequency: 28230.2 kHz
Power: 5 watts

+++++
W4JE: ARTLEY J. ZUCHELLI Sr, 907 E ORANGE AVE, EUSTIS, FL 32726, USA.
E-mail: w4je@arrl.net
Locator: EL85eb
Frequency: 28210.0 kHz
Power: 20 watts into a dipole

W4JPL: JOHN LLOYD, 6057 COBLE CHURCH ROAD, LIBERTY NC 27298, USA.
E-mail: ka2ezn@bellsouth.net
Website: <http://personal.lig.bellsouth.net/lig/k/a/ka2ezn/>
Locator: FM05ew
Frequency: 28263.5 kHz
Power: 4 watts
+++++

W4STT: STANLEY W. TRAYLER, PO BOX 146, HASTINGS FL 32145, USA.
E-mail: stan@aug.com
Locator: EL99gq
Frequency: 28254.0 kHz
Power: 12 watts into a ground plane antenna
+++++

W4TIY: PAULDING AMATEUR RADIO CLUB, 405 GRAHAM ROAD, DALLAS
GA 30132, USA.
E-mail: wd4cgt@mediaone.net
Web: <http://www.pauldingarc.com>
Locator: EM73ow
Frequency: 28272.0 kHz
+++++

W5AB: JOHN M. SHARPE, 1374 EDENDERRY LANE, MISSOURI CITY, TX 77459, USA.
E-mail: jsharpe@aol.com
Locator: EL29fn
Frequency: 28213.0 kHz
Power:
+++++

W5BQZ: JOE C. HALLFORD, JR. P.O. BOX 1454, FORT STOCKTON,
TX 79735-1454, USA.
Locator: DM80?
Frequency: 28213.0 kHz
Power: 10 watts into Ground Plane
+++++

W5LA: JAMES D. RAGSDALE, 111 EAGLE LAKE DR, WEST MONROE LA 71291, USA.
E-mail: w5la@qsl.net
Web: <http://www.qsl.net/w5la>
Locator: EM32vn
Frequency: 28251.0 kHz
Power: 10 watts
+++++

W5RTX: GARY PRITCHARD, 1610 SHORES BLVD. ROCKWALL TX 75087, USA.
E-mail: garypritchard_1999@yahoo.com
Website: <http://w5rtx.com>
Locator: EM12sw
Frequency: 28259.0 kHz
Power:
+++++

W5SXD: RICHARD C. ALLEN, 13523 KNOTTING HILL DR. SUGARLAND,
TX 77478, USA.
E-mail: w5sxd@amsat.org
Locator: EL29?
Frequency: 28209.0 kHz
Power: 50 watts into a vertical
+++++

W6GY: GARY M. PONTE, 7048 ZELZAH AVE. RESEDA, CA 91335, USA.
Locator: DM04
Frequency: 28216.3 kHz
Power: 1 watt
+++++

W6NW: GORDON G. GIRTON, PO BOX 60307, SUNNYVALE CA 94088, USA.
E-mail: Gordon@amateur-radio.org
Web: <http://www.amateur-radio.org>
Locator: CM87xi
Frequency: 28224.0 kHz
Power: 10 watts
+++++

W6PC: MARK S. ALLEN, PO BOX 1987, VISTA CA 92085-1987, USA.
E-mail: w6pc@aol.com
Web: <http://www.w6pc.net>
Locator: DM13nb
Frequency: 28252.5 kHz
Power: 10 watts
+++++

W6TOD: TODD A. EVANS, 600 LAKEVIEW CT, RIDGECREST CA 93555, USA.
E-mail: w6tod@yahoo.com
Locator: DM15do
Frequency: 28222.0 kHz
Power: 5 watts
+++++

W6WX: (NCDXF) NORTHERN CALIFORNIA DX FOUNDATION INC, 15300 SODA SPRINGS RD,
LOS GATOS CA 95030, USA.
Locator: CM97af
Frequencies: 14100, 18110, 21150, 24930, 28200 kHz
Power: 100,10,1,0.1 watts
+++++

W6ZIP: JOHN P. DOOLEY, 14388 HIDDEN ROCK RD. VICTORVILLE, CA 92394, USA.
E-mail: w6zip@charter.net
Locator: DM14hm
Frequency: 28259.5 kHz
Power: 2 watts
+++++

W7HDD: ALLEN M. HAGEN, 1012 GRENZ ST. WENATCHEE, WA 988011639, USA.
E-mail: amhalh@aol.com
Locator: CN97
Frequency: 28289.5 kHz
Power: 25 watts
+++++

W7IEW: JERRY ESPADA, 5032 GRAVELLY BEACH RD NW, OLYMPIA WA 98502, USA.
E-mail: w7iew1@attbi.com
Locator: CN87lc
Frequency: 28285.0 kHz
Power: 5 watts
+++++

W7JPI: PO BOX 453, SONOITA, AZ 85637, USA.
E-mail: w7jpi@theriver.com
Locator: DM41qq
Frequency: 28232.0 kHz
Power: 4 watts in 3 ele beam at 12ft pointing northeast.
+++++

W7LFD: GEORGE CLUTE, 6521 80TH AVENUE SOUTH EAST, MERCER ISLAND,
WA 98040, USA.
E-mail: gclute@attbi.com
Locator: CN87vn
Frequency: 28296.7 kHz
Power: 2 watts
+++++

W8BEP: DAVID GREGG, SR. 2117 WEST THIRD AVE, SAULT SAINTE MARIE
MI 49783, USA.
Locator: EN76tl
Frequency: 28270.0 kHz
Power: 5 watts
+++++

W8EH: ERNEST HOWARD JR., 2652 HALIFAX DRIVE, MIDDLETOWN, OH 45044, USA.
E-mail: w8eh@arrl.net
Website: <http://home.cinci.rr.com/w8eh/fox.html>
Locator: EM79tl
Frequency: 28281.0 kHz
Power: 7 to 8 watts into Cushcraft Ringo @ 40ft
+++++

W8FKL: LLOYD PFAHLER W8FKL, 938 W. DOUGLAS CT. VENICE, FL 34293, USA.
Locator: EL87?
Frequency: 28208.0 kHz
Power: 10 watts into a vertical
+++++

W8LKE: THOMAS C. ROMANAUSKI, 311 CADILLAC 15, P.O. BOX 367, MACKINAW CITY, MI 49701, USA.
E-mail: w8lke@freeway.net
Locator: EN75?
Frequency: 28246.0 kHz
Power: 500mw into Vertical
+++++

W8MI: DENNIS P. HAVLENA, 408 W ETHERINGTON ST, PO BOX 343, MACKINAW CITY MI 49701, USA.
E-mail: dhavlena@edcen.ehhs.cmich.edu
Web: <http://www.ehhs.cmich.edu/~dhavlena/bcn.htm>
Locator: EN75ps
Frequency: 28218.0 (28218.5) kHz
Power: 0.5 watts
+++++

W9BZW: NORTHERN ILLINOIS DX ASSOCIATION, 201 E MARION ST. PROSPECT HEIGHTS, IL 60070, USA.
E-mail: becker@xnet.com
Locator: EN62?
Frequency: 28222.0 kHz
Power: 10 watts into Ground Plane
+++++

WA1RAJ: CARL D. WALKER, 64 W HOLLIS RD, HOLLIS NH 03049, USA.
E-mail: cwalker@icmp.com
Web: <http://www.mv.net/ipusers/cdwalker/10mbeacon.html>
Locator: FN42fr
Frequency: 28244.0 kHz
Power: 1 watt
+++++

WA2NTK: RALPH FERRARA WA2NTK, 218 WELLER AVE, HORSEHEADS, NY 14845, USA.
E-mail: rmko218@earthlink.net
Website: <http://www.home.earthlink.net/~rmko218/beacon.htm>
Locator: FN12NE
Frequency: 28196.0 kHz
Power: 5 watts into a vertical (may be increased to 25 watts)
+++++

WA4ROX: EDWARD G VOGENEY, 10570 114TH TER N. LARGO FL 34643, USA.
E-mail: me2@tampabay.rr.com wa4rox@arr.net
Locator: EL87
Frequency: 28285.8 kHz
Power: 1 watt
+++++

WA4SZE: DAVID L. FRANTZ, JR. PO BOX 7, MANCHESTER, TN 37355, USA.
E-mail: dfrantz@tennessee.com
Locator: EM74?
Frequency: 28201.0 kHz
Power : 15 watts, Antenna: Groundplane; 3 DBI
+++++

WA6APQ: DEWEY F. MYERS, 329 E 61ST ST. LONG BEACH CA 90805, USA.
E-mail: wa6apq@ivwnet.com
Locator: DM03vu
Frequency: 28244.0 kHz
Power: 30 watts
+++++

WA7LNW: JACK M. REED, 39 SOUTH MAIN, HURRICANE UT 84737, USA.
 E-mail: wa7lnw@infowest.com
 Web: <http://www.qsl.net/wa7lnw/beacon.html>
 Locator: DM37id
 Frequency: 28288.0 kHz
 Power: 5 watts into 2 ele 5 Band Hex Beam @ 40ft TX - Radio Shack HTX-100
 ++++++

WA8RC: RON CATHCART, 6258 EAST MORGAN ROAD, BATTLE CREEK , MI 49017, USA.
 E-mail: wa8rc@core.com
 Website: <http://my.core.com/~wa8rc/index.htm>
 Locator: EN72jh
 Frequency: 28258.8 kHz
 Power: 5 watts into AR10 Ringo Ranger @ 10 feet.
 ++++++



WA8YWO: MICHAEL D. TYLER, HC 80 BOX 102, RICHWOOD WV 26261, USA.
 E-mail: mtyler@access.mountain.net
 Web: <http://members.mountain.net/~mtyler/beacon.html>
 Locator: EM98rf
 Frequency: 28286.0 kHz
 Power: 0.1 watts
 ++++++

WB0FTL: LESLIE R. ELLIS, RR 1 BOX 47, ALDEN, MN 56009-9712, USA
 E-mail: lrellis@compuserve.com
 Locator: EN33fp
 Frequency: 28217.0 kHz
 Power: 5 watts into a Cushcraft R7 Vertical, TX is Realistic HTX-100
 ++++++



WB2VUO: (See NQ2RP - WB2VUO Call used temporarily in November 2001)
 ++++++

WB4JHS: John K Mahagan, 3719 Ocita Dr, Orlando, FL 32837, USA.
 E-mail: jmahagan@prodigy.net or QSL via <http://www.eqsl.cc>
 Locator: EL98hj
 Frequency: 28259.0 kHz
 Power: 5 watts from a converted CB rig into a half wave vertical
 ++++++

WB4WOR: BROADCAST PACKET AND REPEATER GROUP, 3025 SOURWOOD RD, GREENSBORO NC 27408, USA.
 (ex-KE4YVL) J CHARLES LAYNO, 3025 SOURWOOD RD. GREENSBORO NC 27408 USA.
 (QSL via: W4CL) E-mail: clayno@nc-cap.org
 Web: <http://www.w4cl.net/beacon>
 Locator: FM06bt
 Frequency: 28290.5 kHz
 Power: 3 watts
 ++++++

WB5UAA: GUY A. NAVARRO JR, 115-C ARIZONA ST. FORT HUACHUCA, AZ 8561395-2031, USA.
 E-mail: wb5uaa@arrl.net
 Locator: DM41
 Frequency: 28203.0 kHz
 Power: 5 watts into a shortened CB Mag Mount from HTX-100 transmitter
 ++++++

WB7RBN: JAMES SEAY, P.O. BOX 5147, BENTON CITY, WA99320, USA.
 E-mail: wb7rbn@hotmail.com
 Locator: DN06ig
 Frequency: 28277.0 kHz
 Power:
 ++++++

WB8KRN: RICHARD C. HEINDEL, 360 LEX STEAM CORNERS RD. LEXINGTON OH 44904, USA
 E-mail: rheindel@sprintmail.com
 Locator: EN80rq
 Frequency: 28260.0 kHz
 Power: 5 watts from a Radio Shack HTX-100 into a shortened CB Mag Mount at 30 feet.
 ++++++

WB9VMY: HAROLD L. DEITZ, WB9VMY, P.O. BOX 300123, MIDWEST CITY, OK 73140, USA.
Locator: EM15fl
Frequency: 28217.0 kHz
Power: 2 watts
+++++

WC8E: DAVID J. RANEY, 8578 BROOKRIDGE DR. WEST CHESTER, OH 45069-3255, USA.
Locator: EM79?
Frequency: 28294.0 kHz
Power: 10 watts into a vertical
+++++

WC9C: WC9C BEACON PROJECT, P.O. BOX 73, PIMENTO, IN 47866, USA.
E-mail: wc9c@qsl.net
Web: <http://www.qsl.net/wc9c/beacon/wc9cbbc.htm>
Locator: EM69hh
Frequency: 28265.0 kHz
Power:
Schedule: (system BT at 00 and 30 min each hour. Solar Flux information sent at 15 and 45 mins each hour. ARRL PROPAGATION BT IS SENT DAILY AT 00 06 12 15 18 AND 21 HOURS UTC AT 20 WPM.
+++++

WD8AQS: LEWIS BISHOP, JR. 7649 W 48TH, FREMONT, MI 49412, USA.
E-mail: lewjb@ncats.newaygo.mi.us
Locator: EN73
Frequency: 28284.85 kHz
Power: 5 watts
+++++

WE4S: GRADY DONALDSON JR, WE4S, 119 RIVER TRACE COURT, MCDONOUGH, GA 30253, USA.
E-mail: gdwe4s@bellsouth.net
Locator: EM73wl
Frequency: 28221.0 kHz
Power: 5 watts from HTX-100 into Antron A99
+++++

WG8T: MARSHALL W. SHROYER, II RFD 2 BOX 1500, FAIRMONT WV 26554, USA.
Locator: EM99wm
Frequency: 28228.0 kHz
Power: 1 watt
+++++

WH6P: HENRY S. McCOY Jr, 45-030 LILIPUNA RD, KANEHOE, HI 96744, USA.
E-mail: wh6p@arrl.net
Locator: BL11ck
Frequency: 28230.0 kHz
Power: 10 watts into Cushcraft R7 vertical
+++++

WI9X: JAMES R. STOEBER, 217 VOSS PL. BELLEVILLE IL 62220, USA.
E-mail: wi9x@cs.com
Locator: EM58
Frequency: 28230.0 kHz
Power: 4 watts
+++++

WJ4E: LEONARD T. BECKER, 2021 PINEVIEW DR. SPARTANBURG, SC 29307-3802, USA.
Locator: EM94
Frequency: 28210.0 kHz
Power: 20 watts into a Dipole
+++++

WJ50: WILLIAM H. HAYS, PO BOX 18069, CORPUS CHRISTI TX 78480, USA.
E-mail: wj50@arrl.net
Website: <http://www.qsl.net/wj50/>
Locator: EL17kr
Frequency: 28289.4 kHz
Power: 2 watts into a roof mounted Quarter Wave Vertical
+++++



WJ9Z: MICHAEL A. PAUER, 3019 E CUDAHY AVE, SAINT FRANCIS WI 53235, USA.
Locator: EN62bx
Frequency: 28250.0 kHz
Power: 15 watts
+++++

WN2A: MICHAEL J. MASTERSON, 7 HUDSON RD. BUDD LAKE NJ 07828-2607, USA.
E-mail: wn2a@qsl.net
Web: <http://www.qsl.net/wn2a/index.htm>
Locator: FN20ou
Frequency: 28208.2 kHz
Power: 3 watts (currently inactive)
+++++

WN4OAA: JOHN G. KOSMAK, 106 FALL ST. GRAY, TN 37615, USA.
E-mail: wn4oaa@yahoo.com academ1a@yahoo.com
Locator: EM86
Frequency: 28251.4 kHz
Power: 300mW into a Vertical
+++++

WP2N: CRAIG A. BRUCE, 5790 14TH AVE. SACRAMENTO, CA 95820-3132, USA.
E-mail: cbruce@pacbell.ent
Locator: CM98?
Frequency: 28235.5 kHz
Power: 5 watts into Vertical
+++++

WQ4RP: KNIGHTLITES QRP SOCIETY, 1318 ALDERMAN CIR, RALEIGH NC 27603, USA
E-mail: aa4xx@jpass.net
Locator: FM05qr
Frequency: 7004.0 kHz
Power: 5mw
+++++

WR4PKZ: FOOTHILLS AMATEUR RADIO CLUB, 1195 MIDWAY RD. PICKENS,
(ex-KF4FOF) SC 29671, USA.
Locator: EM84px
Frequency: 28260.0 kHz
Power:
+++++

WY5I: DONN V. SINCLAIR, 401 ALT A1A 15, JUPITER FL 33477, USA.
E-mail: wy5i@worldnet.att.net WY5I@arrl.net
Locator: EL96
Frequency: 28257.8 kHz
Power: 5 watts
+++++

XE1AKM: MIGUEL GARCIA, AVE. FEDERICO CARDENAS 232, COL. PRIMAVERAS 28979
VILLA DE ALVAREZ, COLIMA, MEXICO.
E-mail: mgarcia@ucol.mx
Locator: DK89dg
Frequency: 28276.0 kHz
Power: 15 watts into a Vertical
+++++

XE1SRF: RODRIGO FERNANDEZ MAS, CANAL DE GARAY 18, COND 3A
CASA 21A, EL VERGEL 09880 MEXICO.
E-mail: rmas@imp.edu.mx
Locator: EK09la
Frequency: 28189.0 kHz
Power: 20 watts into Ground Plane
+++++

XE2NGT: TORNADO C BRADIO, XE2NGT, GRANADA 135, ARBS. DEL VIRREY
APODACA 64540, NL. MEXICO.
Locator: DL95
Frequency: 27015.0 kHz
Power:
Comments: On hour in CW QTR 30 and 20wpm, At half-hour in CW wx 333 and 20wpm.
+++++



XE3MSL: MANUEL SANTIAGO LOPEZ, APARTADO 19, OCOTLAN, OAX. 71510, MEXICO.
E-mail: fmre@fmre.org.mx
Locator: EK16tl
Frequency: 28240.0 kHz
Power:

+++++
XE3OAX: ASSOCIATION OF RADIO HAMS OF OAXACA, A.C (Full address required)
E-mail: xe3oax@hotmail.com
Locator: EK17pa
Frequency: 28240.0 kHz
Power: 500mW?

+++++
YV5B: (NCDXF) (Address required) VENEZUELA.
Locator: FK60nl
Frequencies: 14100, 18110, 21150, 24930, 28200 kHz
Power: 100, 10, 1, 0.1 watts

+++++
Z21ANB: THE TOM SHORT MEMORIAL BEACON, BOX 1372 BULAWAYO, ZIMBABWE.
Locator: KG47
Frequency: 28250.0 kHz
Power: 8 watts



+++++
ZL1BPU: MURRAY GREENMAN, 94 SIM ROAD, KARAKA, RD1 PAPA KURA, NEW ZEALAND.
E-mail: as149@detroit.freenet.org zl1bpu@nzart.org.nz
Website: <http://www.qsl.net/zl1bpu>
Locator:
Frequency: 3840.0 kHz
Power: 2.5 watts Morse ID every 10 minutes
Comments: Reports on propagation and received accuracy should be sent to above e-mail address .Operator says "PLEASE don't send RST signal reports - we all know how far the signal travels - it's much more interesting to know where it's been to get there! This means studying the frequency and ionospheric components with a long term spectrogram.

+++++
ZL1MT: TED MINCHIN, R D 1, PUTARURU 2370, NEW ZEALAND.
E-mail: tedm@xtra.co.nz
Locator: RE78
Frequency: 3600.0 kHz
Power:

+++++
ZL2MHF: TT BRANCH NZART INC, 11 WOOD ST. UPPER HUTT, NEW ZEALAND.
E-mail: don.lauder@paradise.net.nz
Locator: RE78bu
Frequency: 28228.0 kHz
Power: 1 watt Ground Plane

+++++
ZL3FJ: D. A. BROWN, 62 HUDSON STREET, CHRISTCHURCH 8005, NEW ZEALAND.
Locator: RE78
Frequency: 3602.0
Power:

+++++
ZL3JE: DAVID STEWART, 33 KING STREET, PAREORA 8790, NEW ZEALAND.
E-mail: destewart@xtra.co.nz
Locator: RE55om
Frequency: 3650.0 kHz
Power: 4.2 watts

+++++

ZL3TEN: CHRISTCHURCH VHF DX GROUP, 189 QUEENSBURY STREET, P.O. BOX 37-163, CHRISTCHURCH 8004, NEW ZEALAND.
 QSLs to: Mike Foubister ZL3TIC
 E-mail: service@mycom.co.nz
 Web: <http://www.mycom.co.nz/beacon/beacon.htm>
 Locator: RE66
 Frequency: 28228.0 kHz
 Power: 20 watts into a half wave vertical

+++++

ZL6B: (NCDXF) COLIN COUTTS ZL2FC, 12 PAIERAU ROAD, R D 1, MASTERTON, 5921, NEW ZEALAND.
 E-mail: zl2fc@xtra.co.nz cc_coutts@xtra.co.nz
 Locator: RE77tw
 Frequencies: 14100, 18110, 21150, 24930, 28200 kHz
 Power: 100, 10, 1, 0.1 watts

+++++

ZS1AGI: MR PETER C ROBERTSON, PO NOTTINGHAM ROAD, NATAL, 3280 REPUBLIC OF SOUTH AFRICA.
 Locator: KF16ea
 Frequency: 7025.0 kHz
 Power: 0.2 watts

+++++

ZS1J: MR ROGER DAVIS, PO BOX 1099, PLETTENBERG BAY, 6600, REPUBLIC OF SOUTH AFRICA.
 E-mail: info@forestwagontrails.co.za
 Website: <http://www.qsl.net/zs1j>
 Locator: KF15pf
 Frequencies: 1817.0, 3586.0, 7029.0155, 10124.0, 28202.5 kHz
 Power: 1.817 MHz = 400mW 3.586 Mhz = 400mW 7 MHz = 1 microwatt
 10.124 Mhz = 400mW 28 MHz = 5 watts into vertical

+++++

ZS5VHF: **(Address Required) SOUTH AFRICA.**
 Locator:
 Frequency: 28202.5 kHz
 Power: 10 watts into vertical

+++++

ZS6DN: (NCDXF) PRIVATE BAG X 2352, WINGATE PARK 0153, REPUBLIC OF SOUTH AFRICA.
 E-mail: larsen@salbu.com
 Website: <http://home.mweb.co.za/sa/salbu/ZS6DN3.html>
 Locator: KF44dc
 Frequencies: 14100, 18110, 21150, 24930, 28200 kHz
 Power: 100, 10, 1, 0.1 watts

+++++

**Please help to keep this list as up to date as possible by sending
 in any information which isn't already included in this list!**

LISTS OF 28 MHz BEACONS AVAILABLE ON THE INTERNET:

Lists of 28 MHz and HF beacons are to be found on the following websites. Some are up to date lists of 'active' beacons, others are older lists, but do provide some useful information about a number of other beacons that have been heard on the HF bands at various times. If you have, or know about a list that isn't included here please let me know so that I can add them to future editions:

List Name:	url:
6 & 10 Report Website:	http://www.6and10.org.uk
Andre DL8WX's Beacon List:	http://www.dl8wx.de/baken_kw
Australian Amateur Radio Beacons:	http://www.wia.org.au/beacons/
CE3SAI's HF Beacon List:	http://www.qsl.net/ce3sai/hf/beacon10.htm
Cesky Radioklub Beacon Page:	http://crk.mlp.cz/eng/beace.htm
DXBands.Com:	http://www.dxbands.com/beacons28.htm
F6DDR's CW Web:	http://philippe.caye.metelec.org/balises_deca.htm
F6KEH's Beacon Page:	http://f6keh.free.fr/f6keh%20ressources/0400/0407.htm
Finnish Beacons:	http://www.sral.fi/beacon.htm
French Radiobeacons:	http://www.ref.tm.fr/balises/index.html
G3USF's HF Beacon List:	http://www.keele.ac.uk/depts/por/28.htm
Grommet's 10 Metre Beacon Page:	http://www.grommet.freemove.co.uk/27-11/ts31.html
Ham Radio Beacons:	http://ac6v.com/beacons.htm
Ham Radio Online Beacon List:	http://www.hamradio-online.com/1996/jul/10meter.html
HF Beacons (Czech site):	http://home.zcu.cz/~tomes/beacons.htm
Homepage of the 6 & 10 Reporting Club:	http://www.explore.force9.co.uk/6and10/index.htm
Hoogenboom Beacons:	http://home.hccnet.nl/w.l.hoogenboom/beacon.html
IPS Beacon Homepage:	http://www.ips.gov.au/beacon/
K5FO's Russian 40 Metre Beacons:	http://www.qsl.net/k7qo/ussr.html
KC4DPC's 10 Metre Beacons List:	http://63.110.187.38/bcn.html
LA0BY Norwegian Beacon List:	http://www.qsl.net/la0by/LA-beac.htm
LA6IM's Norwegian Beacon Maps:	http://home.online.no/~utneh/ham_e.html
LN2A HF Propagation Beacon:	http://www.itu.int/brsg/sg3/hf-campaign/index.html
N5EJS's 10 Metre Beacon List:	http://www.qsl.net/wd4ngb/10mtr.htm
NCDXF/IARU International Beacon Project:	http://www.ncdxf.org/beacon.htm
OK & OM Beacons:	http://www.qsl.net/ok2kkw/okombeacons.htm
Telsiz ve Radyo Amatörleri Cemiyeti	http://www.trac.org.tr/beacon10.htm
Veron/Amrad Beacons:	http://www.veron.nl/amrad/beacons.htm
WJ50 10 Metre List:	http://www.qsl.net/wj50/
ZS5S's HF Beacon Bulletin:	http://zs5s.com
7 MHz Beacons/Markers:	http://www.qsl.net/g3pto/becon.html

SOME USEFUL BEACON MONITORING SOFTWARE:

The following programmes are available for download from the Internet, some freeware, some shareware. These will help greatly with your monitoring of the NCDXF Beacon Chains. If you know of any other useful programmes that could be added to this list please let me know the details:

Active Beacon Wizard/Clock:	http://www.taborsoft.com/abw/index.shtml/
Beaclock Programme (new version 3.0!):	http://home.t-online.de/home/knut.najmann/
Beacon Clock:	http://www.hunting.com/beaconclock/index.html
BeaconSee:	http://sapp.telepac.pt/coaa/
Beacon Watch:	http://autoinfo.smartlink.net/kq6rh/beacon.zip
BJ Beacon:	http://www.snafu.de/~wumpus/index.html
DX Monitor:	http://www.benlo.com/dxmon.html/
NCDXF Beacon Programme Links:	http://www.ncdxf.org/beacon/beaconPrograms.htm

If you've got this far you obviously very interested in HF Beacons, so why not join the HF Beacons E-mail reflector and share your loggings and experiences with other beacon enthusiasts and beacon operators. In February 2001 reflector was created and set up by **Steve Reed G0AEV** of the **6 & 10 Metre Reporting Club**. Membership is open to anyone with an interest in HF beacon monitoring or operating, and if you aren't already a member joining it might be of interest to you. I have included full details about how to contact Steve regarding this excellent group below:

HF BEACONS E-MAIL REFLECTOR:

As a radio amateur believed to be interested in running or monitoring HF beacons, may we invite you to subscribe to a new mailing list: hfbeacons@explore.plus.com

The objective of this list is to facilitate the exchange of information relating to beacons in the HF amateur bands, especially but not exclusively to beacons in the 10m (28MHz) band. Topics covered by this list include: -

- Issues in designing, building and operating beacons*
- Beacon frequency allocations and the resolution of frequency conflicts*
- Information on new beacons planned or heard*
- Posting of data to help keep lists of beacons up to date*
- Requests by beacon owners for reception reports*
- Analysis of reception reports received*
- Results of propagation studies based on beacon monitoring*
- Promotion of beacon information resources such as web sites*

An email message sent to the list is automatically transmitted to all list members; however only subscribers can receive messages from, or post messages to, the list. Subscription is very simple - just send an empty email message addressed to: hfbeacons-subscribe@explore.plus.com

No subject or other message text is required. You will be sent an automated request to confirm your subscription. This confirmation is used to verify that your email address is correct and to protect you in case someone forges a subscription request in your name.

Once subscribed, you can post a message to the list by addressing an email to hfbeacons@explore.plus.com

You can remove your address from the list at any time by sending a message to: hfbeacons-unsubscribe@explore.plus.com

Other commands are available to subscribers, but hfbeacons-info@explore.plus.com and hfbeacons-faq@explore.plus.com do not work yet. Please send any requests for information or help to g0aev@explore.plus.com

*This list was set up by **Steve Reed G0AEV** and **Martin Harrison G3USF**, members of the RSGB's Propagation Studies Committee and co-editors of the Six and Ten Report (which includes monthly reports on 10m beacons heard in the UK). Both actively monitor beacons for use in radio propagation studies. Martin is IARU Region 1 HF Beacon Co-ordinator and maintains G3USF's Worldwide List of HF Beacons, while some of the beacon data Steve compiles can be found on the G0AEV's Beacons web site. URLs for these sites are:*

<i>RSGB Propagation Studies Committee:</i>	http://www.keele.ac.uk/depts/por/psc.htm
<i>Six and Ten Report:</i>	http://www.explore.force9.co.uk/6and10/
<i>G3USF's Worldwide List of HF Beacons:</i>	http://www.keele.ac.uk/depts/por/28.htm
<i>G0AEV's Beacons:</i>	http://www.explore.force9.co.uk/beacons/
<i>6 and 10 Report Website:</i>	http://6and10.org.uk

YET ANOTHER NEW TEN METER BEACON REFLECTOR:

As of May 2002, another new e-mail reflector for Ten Metre Beacon operators was started at Yahoogroups. Further details can be found at:

<http://groups.yahoo.com/group/TenMeterBeacons>

CREDITS & SOURCES:

QRZ.COM Website Search Database: <http://www.qrz.com>
Buckmasters Search Database: <http://hamcall.net/call/>
LA0BY Norwegian Beacon List: <http://www.qsl.net/la0by/LA-beac.htm>
ZS5S Monthly Beacon List: <http://zs5s.com>
G3USF Beacon List: <http://http://www.keele.ac.uk/depts/por/50.htm>
Global Beacon List: <http://www.rmsd.com/hamradio/hamradio.html>
KC4DPC 10 Meter Beacon List: <http://206.25.202.160/bcn.html>
WJ50 10 Metre List: <http://www.qsl.net/wj50/>
NCDXF Website: <http://www.ncdxf.org/>
Wireless Institute of Australia: <http://www.wia.org.au>
Ham Radio Online: <http://www.hamradio-online.com/1996/jul/10meter.html>
Radio Amateur Callbook 2004: <http://www.callbook.com>
Eurocall 2004: DARC Verlag GmbH, Baunatal.

AND LAST BUT NOT LEAST.....

A very special thank you to **Dave Tomasko of Chicago, USA**, **Lionel MU3GSY of Guernsey** (thanks for all the Japanese addresses), **Ewald Glantschnig of Switzerland**, **Klaus Elsebusch of the Netherlands**, **Bill WJ50**, **Marc VA2MGL**, **Lyndel N7LT**, **Tim N9RET**, **Tom KC0W**, **Walter Capozza of Italy**, **Franta OK1HH**, **Alex VE3GOP**, **Ron KA0PSE**, **Cormac EI0TEN**, **Alfredo Locatelli CX-NØ2Ø / CX3NO** , **Torre Ekblom of Finland**, **Paul Mathieu, USA** (I'm very sad to report that Paul went silent key in June 2003), **Joost ZS5S' Monthly Beacon Bulletin**, **Marck N9YDZ**, **Norbert Reiner**, **Dr. Matthias Zwoch**, **Ken Brown**, **Abe N7SCQ**, **Tom DL8AAM**, **Andre DL8WX**, **Bob W2IK**, **Victor Sierra of Panama**, **John WN4OAA**, **Rob AF0H**, **Bob VA3ROR**, **Fred VE3FAL**, **Victor Sierra HP1AVS**, **Günter DF4PV**, **Bill N4ES**, **Andy Robins**, **KB8QGF**, **Ilkka Yrjölä OH5IY**, **Matteo IZ2DAY**, **Ken N4SO** and all the members of the **HF Beacons & Ten Meterbeacons Reflectors**, and individual beacon operators, who took the trouble to give me so much invaluable help with locating and updating so many of the addresses and details.

- Thanks guys!



<http://www.eqsl.cc>